

WELL CONTACTS CO.

#56, "Pushpak Cascade", Swathi Road
Shanthinagar, Bangalore - 560 027

wccblore_2007@yahoo.com

Ph: +91 80 22226675, 41169654

Fax: +91 80 22226675

| CODE NO. | DESCRIPTION & CAT.NO. OF PRODUCTS | |
|----------|--|---|
| W3901 | 96X96 ELECTRONIC HOOTER 1 TONE-EEH-96ST 12VAC |  |
| W3902 | 96X96 ELECTRONIC HOOTER 1 TONE-EEH-96ST 24VAC | |
| W3903 | 96X96 ELECTRONIC HOOTER 1 TONE-EEH-96ST 110VAC | |
| W3904 | 96X96 ELECTRONIC HOOTER 1 TONE-EEH-96ST 220VAC | |
| W3905 | 96X96 ELECTRONIC HOOTER 1 TONE -EEH-96ST 12VDC | |
| W3906 | 96X96 ELECTRONIC HOOTER 1 TONE -EEH-96ST 24VDC | |
| W3907 | 96X96 ELECTRONIC HOOTER 1 TONE-EEH-96ST 110VDC | |
| W3908 | 96X96 ELECTRONIC HOOTER 1 TONE-EEH-96ST220VDC | |
| W3909 | 96X96 ELECTRONIC HOOTER 3 TONE-EEH-96.12VAC | |
| W3910 | 96X96 ELECTRONIC HOOTER 3 TONE -EEH-96.24VAC | |
| W3911 | 96X96 ELECTRONIC HOOTER 3 TONE-EEH-96.110VAC |  |
| W3912 | 96X96 ELECTRONIC HOOTER 3 TONE-EEH-96.220VAC | |
| W3913 | 96X96 ELECTRONIC HOOTER 3 TONE -EEH-96.12VDC | |
| W3914 | 96X96 ELECTRONIC HOOTER 3 TONE-EEH-96.24VDC | |
| W3915 | 96X96 ELECTRONIC HOOTER 3 TONE-EEH-96.110 VDC | |
| W3916 | 96X96 ELECTRONIC HOOTER 3 TONE-EEH-96.220VDC | |
| W3917 | 96X96 ELECTRONIC HOOTER 1 TONE -EEH-96FST 12VAC | |
| W3918 | 96X96 ELECTRONIC HOOTER 1 TONE -EEH-96FST 24VAC | |
| W3919 | 96X96 ELECTRONIC HOOTER 1 TONE-EEH-96FST 110VAC | |
| W3920 | 96X96 ELECTRONIC HOOTER 1 TONE-EEH-96FST 220VAC | |
| W3921 | 96X96 ELECTRONIC HOOTER 1 TONE-EEH-96FST 12VDC |  |
| W3922 | 96X96 ELECTRONIC HOOTER 1 TONE -EEH-96FST 24VDC | |
| W3923 | 96X96 ELECTRONIC HOOTER 1 TONE -EEH-96FST 110VDC | |
| W3924 | 96X96 ELECTRONIC HOOTER 3 TONE-EEH-96F 12VAC | |
| W3925 | 96X96 ELECTRONIC HOOTER 3 TONE-EEH-96F 24VAC | |
| W3926 | 96X96 ELECTRONIC HOOTER 3 TONE-EEH-96F 110VAC | |
| W3927 | 96X96 ELECTRONIC HOOTER 3 TONE-EEH-96F 220VAC | |
| W3928 | 96X96 ELECTRONIC HOOTER 3 TONE-EEH-96F 12VDC | |
| W3929 | 96X96 ELECTRONIC HOOTER 3 TONE-EEH-96F 24VDC | |
| W3930 | 96X96 ELECTRONIC HOOTER 3 TONE-EEH-96F 110VDC | |
| W3931 | 55MM DIA ELECTRONIC HOOTER 1 TONE -EST-01.12VAC |  |
| W3932 | 55MM DIA ELECTRONIC HOOTER 1 TONE -EST-01.24VAC | |
| W3933 | 55MMDIA ELECTRONIC HOOTER 1 TONE-EST-01.110VAC | |
| W3934 | 55MMDIA ELECTRONIC HOOTER 1 TONE-EST-01.220VAC | |
| W3935 | 55MM DIA ELECTRONIC HOOTER 1 TONE-EST-01.12VDC | |
| W3936 | 55MM DIA ELECTRONIC HOOTER 1 TONE-EST-01.24VDC | |
| W3937 | 55MMDIA ELECTRONIC HOOTER 1 TONE-EST-01.110VDC | |
| W3938 | 55MMDIA ELECTRONIC HOOTER 1 TONE-EST-01.220VDC | |

WELL CONTACTS CO.

#56, "Pushpak Cascade", Swathi Road
Shanthinagar, Bangalore - 560 027

wccblore_2007@yahoo.com

Ph: +91 80 22226675, 41169654

Fax: +91 80 22226675

| | | | |
|-------|--|---|---|
| W3939 | ELETRO MECANICAL HOOTER EEM-01A 24VAC |  | |
| W3940 | ELETRO MECANICAL HOOTER EEM-01A 110VAC | | |
| W3941 | ELETRO MECANICAL HOOTER EEM-01A 220VAC | | |
| W3942 | ELETROMECHANICAL HOOTER EEM-01D 24VDC | | |
| W3943 | ELETROMECHANICAL HOOTER EEM-01D 110VDC | | |
| W3944 | ELETROMECHANICAL HOOTER EEM-01D 220VDC | | |
| W3945 | FIRE ALARM BUZZER 1 TONE EFA-01 12VAC |  | |
| W3946 | FIRE ALARM BUZZER 1 TONE EFA-01 24VAC | | |
| W3947 | FIRE ALARM BUZZER 1 TONE EFA-01 110VAC | | |
| W3948 | FIRE ALARM BUZZER 1 TONE EFA-01 220VAC | | |
| W3949 | FIRE ALARM BUZZER 1 TONE EFA-01 12VDC | | |
| W3950 | FIRE ALARM BUZZER 1 TONE EFA-01 24VDC | | |
| W3951 | FIRE ALARM BUZZER 1 TONE EFA-01 110VDC |  | |
| W3952 | FIRE ALARM BUZZER 1 TONE EFA-01 220VAC | | |
| W3953 | PYRAMID LAMP NORMAL FILAMENT ENPL-01.12 VAC | | |
| W3954 | PYRAMID LAMP NORMAL FILAMENT ENPL-01.24VAC | | |
| W3955 | PYRAMID LAMP NORMAL FILAMENT ENPL-01.110VAC | | |
| W3956 | PYRAMID LAMP NORMAL FILAMENT ENPL-01.220 VAC | | |
| W3957 | PYRAMID LAMP NORMAL FILAMENT ENPL-01.12 VDC | | |
| W3958 | PYRAMID LAMP NORMAL FILAMENT ENPL-01.24 VDC | | |
| W3959 | PYRAMID LAMP NORMAL FILAMENT ENPL-01.110 VDC | | |
| W3960 | PYRAMID LAMP NORMAL FILAMENT ENPL-01.220 VDC | | |
| W3961 | PYRAMID LAMP FLICKERING FILAMENT ENPL02.12VAC | |  |
| W3962 | PYRAMID LAMP FLICKERING FILAMENT ENPL02.24VAC | | |
| W3963 | PYRAMID LAMP FLICKERING FILAMENT ENPL-02.110VAC | | |
| W3964 | PYRAMID LAMP FLICKERING FILAMENT ENPL-02.220VAC | | |
| W3965 | PYRAMID LAMP FLICKERING FILAMENT ENPL-02.12VDC | | |
| W3966 | PYRAMID LAMP FLICKERING FILAMENT ENPL-02.24VDC | | |

| | | |
|-------|--|---|
| W3967 | PYRAMID LAMP FLICKERING FILAMENT ENPL-02.110VDC | |
| W3968 | PYRAMID LAMP FLICKERING FILAMENT ENPL-02.220VDC | |
| W3969 | 22.5 DIA INDICATOR WITH BUZZER 1 TONE EIB-01.12VAC |  |
| W3970 | 22.5 DIA INDICATOR WITH BUZZER 1 TONE EIB-01.24VAC | |
| W3971 | 22.5 DIA INDICATOR WITH BUZZER 1 TONE EIB-01.110VAC | |
| W3972 | 22.5 DIA INDICATOR WITH BUZZER 1 TONE EIB-01.220VAC | |
| W3973 | 22.5 DIA INDICATOR WITH BUZZER 1 TONE EIB-01.12VDC | |
| W3974 | 22.5 DIA INDICATOR WITH BUZZER 1 TONE EIB-01.24VDC | |
| W3975 | 22.5 DIA INDICATOR WITH BUZZER 1 TONE EIB-01.110VDC | |
| W3976 | 22.5 DIA INDICATOR WITH BUZZER 1 TONE EIB-01.220VDC | |
| W3977 | 22.5 DIA INDICATOR WITH BUZZER 1 TONE EIB-02.12VAC | |
| W3978 | 22.5 DIA INDICATOR WITH BUZZER 1 TONE EIB-02.24VAC | |
| W3979 | 22.5 DIA INDICATOR WITH BUZZER 1 TONE EIB-02.110VAC | |
| W3980 | 22.5 DIA INDICATOR WITH BUZZER 1 TONE EIB-02.220VAC | |
| W3981 | 22.5 DIA INDICATOR WITH BUZZER 1 TONE EIB-02.12VDC | |
| W3982 | 22.5 DIA INDICATOR WITH BUZZER 1 TONE EIB-02.24VDC | |
| W3983 | 22.5 DIA INDICATOR WITH BUZZER 1 TONE EIB-02.110VDC | |
| W3984 | 22.5 DIA INDICATOR WITH BUZZER 1 TONE EIB-02.220VDC | |
| W3985 | 1 TIER TOWER LIGHT FILAMENT NORMAL ENTL-01.12VAC | |
| W3986 | 1 TIER TOWER LIGHT FILAMENT NORMAL ENTL-01.24VAC | |
| W3987 | 1 TIER TOWER LIGHT FILAMENT NORMAL ENTL-01.110VAC | |
| W3988 | 1 TIER TOWER LIGHT FILAMENT NORMAL ENTL-01.220VAC | |
| W3989 | 1 TIER TOWER LIGHT FILAMENT NORMAL ENTL-01.12VDC | |
| W3990 | 1 TIER TOWER LIGHT FILAMENT NORMAL ENTL-01.24VDC | |



WELL CONTACTS CO.


#56, "Pushpak Cascade", Swathi Road
Shanthinagar, Bangalore - 560 027

wccblore_2007@yahoo.com

Ph: +91 80 22226675, 41169654

Fax: +91 80 22226675

| | | |
|-------|---|---|
| W3991 | 1 TIER TOWER LIGHT FILAMENT NORMAL ENTL-01.110VDC |  |
| W3992 | 1 TIER TOWER LIGHT FILAMENT NORMAL ENTL-01.220VDC | |
| W3993 | 1 TIER TOWER LIGHT FILAMENT CONSTANT WITH BUZZER ENTL-01BUZ.12VAC | |
| W3994 | 1 TIER TOWER LIGHT FILAMENT CONSTANT WITH BUZZER ENTL-01BUZ. 24VAC | |
| W3995 | 1 TIER TOWER LIGHT FILAMENT CONSTANT WITH BUZZER ENTL-01BUZ.110VAC | |
| W3996 | 1 TIER TOWER LIGHT FILAMENT CONSTANT WITH BUZZER ENTL-01BUZ.220VAC | |
| W3997 | 1 TIER TOWER LIGHT FILAMENT CONSTANT WITH BUZZER ENTL-01BUZ.12VDC | |
| W3998 | 1 TIER TOWER LIGHT FILAMENT CONSTANT WITH BUZZER ENTL-01BUZ.24VDC | |
| W3999 | 1 TIER TOWER LIGHT FILAMENT CONSTANT WITH BUZZER ENTL-01BUZ.110VDC | |
| W4001 | 1 TIER TOWER LIGHT FILAMENT CONSTANT WITH BUZZER ENTL-01BUZ.220VDC | |
| W4002 | 2 TIER TOWER LIGHT FILAMENT NORMAL ENTL-02.12VAC |  |
| W4003 | 2 TIER TOWER LIGHT FILAMENT NORMAL ENTL-02.24VAC | |
| W4004 | 2 TIER TOWER LIGHT FILAMENT NORMAL ENTL-02.110VAC | |
| W4005 | 2 TIER TOWER LIGHT FILAMENT NORMAL ENTL-02.220VAC | |
| W4006 | 2 TIER TOWER LIGHT FILAMENT NORMAL ENTL-02.12VDC | |
| W4007 | 2 TIER TOWER LIGHT FILAMENT NORMAL ENTL-02.24VDC | |
| W4008 | 2 TIER TOWER LIGHT FILAMENT NORMAL ENTL-02.110VDC | |
| W4009 | 2 TIER TOWER LIGHT FILAMENT NORMAL ENTL-02.220VDC | |
| W4010 | 2 TIER TOWER LIGHT FILAMENT CONSTANT WITH BUZZER ENTL-02BUZ.12VAC | |
| W4011 | 2 TIER TOWER LIGHT FILAMENT CONSTANT WITH BUZZER ENTL-02BUZ.24VAC | |
| W4012 | 2 TIER TOWER LIGHT FILAMENT CONSTANT WITH BUZZER ENTL-02BUZ.110VAC | |
| W4013 | 2 TIER TOWER LIGHT FILAMENT CONSTANT WITH BUZZER ENTL-02BUZ.220VAC | |
| W4014 | 2 TIER TOWER LIGHT FILAMENT CONSTANT WITH BUZZER ENTL-01BUZ. 12VDC | |
| W4015 | 2 TIER TOWER LIGHT FILAMENT CONSTANT WITH BUZZER ENTL-02BUZ.24VDC | |

| | | |
|-------|--|--|
| W4016 | 2 TIER TOWER LIGHT FILAMENT CONSTANT WITH BUZZER ENTL-02BUZ.110VDC | |
| W4017 | 2 TIER TOWER LIGHT FILAMENT CONSTANT WITH BUZZER ENTL-02BUZ.220VDC | |
| W4018 | 3 TIER TOWER LIGHT FILAMENT NORMAL ENTL-03.12VAC | |
| W4019 | 3 TIER TOWER LIGHT FILAMENT NORMAL ENTL-03.24VAC | |
| W4020 | 3 TIER TOWER LIGHT FILAMENT NORMAL ENTL-03.110VAC | |
| W4021 | 3 TIER TOWER LIGHT FILAMENT NORMAL ENTL-03.220VAC | |
| W4022 | 3 TIER TOWER LIGHT FILAMENT NORMAL ENTL-03.12VDC | |
| W4023 | 3TIER TOWER LIGHT FILAMENT NORMAL ENTL-03.24VDC | |
| W4024 | 3 TIER TOWER LIGHT FILAMENT NORMAL ENTL-03.110VDC | |
| W4025 | 3 TIER TOWER LIGHT FILAMENT NORMAL ENTL-03.220VDC |  |
| W4026 | 3 TIER TOWER LIGHT FILAMENT CONSTANT WITH BUZZER ENTL-03BUZ.12VAC | |
| W4027 | 3 TIER TOWER LIGHT FILAMENT CONSTANT WITH BUZZER ENTL-03BUZ.24VAC | |
| W4028 | 3 TIER TOWER LIGHT FILAMENT CONSTANT WITH BUZZER ENTL-03BUZ.110VAC | |
| W4029 | 3 TIER TOWER LIGHT FILAMENT CONSTANT WITH BUZZER ENTL-03BUZ.220VAC | |
| W4030 | 3 TIER TOWER LIGHT FILAMENT CONSTANT WITH BUZZER ENTL-03BUZ. 12VDC | |
| W4031 | 3 TIER TOWER LIGHT FILAMENT CONSTANT WITH BUZZER ENTL-03BUZ.24VDC | |
| W4032 | 3 TIER TOWER LIGHT FILAMENT CONSTANT WITH BUZZER ENTL-03BUZ.110VDC | |
| W4033 | 3 TIER TOWER LIGHT FILAMENT CONSTANT WITH BUZZER ENTL-03BUZ.220VDC | |
| W4033 | 4 TIER TOWER LIGHT FILAMENT NORMAL ENTL-04.12VAC | |
| W4034 | 4 TIER TOWER LIGHT FILAMENT NORMAL ENTL-04.24VAC | |
| W4035 | 4 TIER TOWER LIGHT FILAMENT NORMAL ENTL-04.110VAC | |
| W4036 | 4 TIER TOWER LIGHT FILAMENT NORMAL ENTL-04.220VAC | |
| W4037 | 4 TIER TOWER LIGHT FILAMENT NORMAL ENTL-04.12VDC | |
| W4038 | 4TIER TOWER LIGHT FILAMENT NORMAL ENTL-04.24VDC | |

WELL CONTACTS CO.

#56, "Pushpak Cascade", Swathi Road
Shanthinagar, Bangalore - 560 027

wccblore_2007@yahoo.com



Ph: +91 80 22226675, 41169654

Fax: +91 80 22226675

| | | |
|-------|--|---|
| W4039 | 4 TIER TOWER LIGHT FILAMENT NORMAL ENTL-04.110VDC | |
| W4040 | 4 TIER TOWER LIGHT FILAMENT NORMAL ENTL-04.220VDC | |
| W4041 | 4 TIER TOWER LIGHT FILAMENT CONSTANT WITH BUZZER ENTL-04BUZ.12VAC | |
| W4042 | 4 TIER TOWER LIGHT FILAMENT CONSTANT WITH BUZZER ENTL-04BUZ.24VAC | |
| W4043 | 4 TIER TOWER LIGHT FILAMENT CONSTANT WITH BUZZER ENTL-04BUZ.110VAC | |
| W4044 | 4 TIER TOWER LIGHT FILAMENT CONSTANT WITH BUZZER ENTL-04BUZ.220VAC | |
| W4045 | 4 TIER TOWER LIGHT FILAMENT CONSTANT WITH BUZZER ENTL-04BUZ. 12VDC | |
| W4046 | 4 TIER TOWER LIGHT FILAMENT CONSTANT WITH BUZZER ENTL-04BUZ.24VDC | |
| W4047 | 4 TIER TOWER LIGHT FILAMENT CONSTANT WITH BUZZER ENTL-04BUZ.110VDC | |
| W4048 | 4 TIER TOWER LIGHT FILAMENT CONSTANT WITH BUZZER ENTL-04BUZ.220VDC | |
| W4049 | 1 TIER LED TOWER LIGHT FLICKERING WITH BUZZER & STAND.ENTL-01LED.12VAC |  |
| W4050 | 1 TIER LED TOWER LIGHT FLICKERING WITH BUZZER & STAND.ENTL-01LED.24VAC | |
| W4051 | 1 TIER LED TOWER LIGHT FLICKERING WITH BUZZER & STAND.ENTL-01LED.110VAC | |
| W4052 | 1 TIER LED TOWER LIGHT FLICKERING WITH BUZZER & STAND.ENTL-01LED.220VAC | |
| W4053 | 2 TIER LED TOWER LIGHT FLICKERING WITH BUZZER & STAND.ENTL-02LED.12VAC | |
| W4054 | 2 TIER LED TOWER LIGHT FLICKERING WITH BUZZER & STAND.ENTL-02LED.24VAC | |
| W4055 | 2 TIER LED TOWER LIGHT FLICKERING WITH BUZZER & STAND.ENTL-02LED.110VAC | |
| W4056 | 2 TIER LED TOWER LIGHT FLICKERING WITH BUZZER & STAND.ENTL-02LED.220VAC | |
| W4057 | 3 TIER LED TOWER LIGHT FLICKERING WITH BUZZER & STAND.ENTL-03LED.12VAC | |
| W4058 | 3 TIER LED TOWER LIGHT FLICKERING WITH BUZZER & STAND.ENTL-03LED.24VAC | |
| W4059 | 3 TIER LED TOWER LIGHT FLICKERING WITH BUZZER & STAND.ENTL-03LED.110VAC | |
| W4060 | 3 TIER LED TOWER LIGHT FLICKERING WITH BUZZER & STAND.ENTL-03LED.220VAC | |
| W4061 | 60 W SPACE HEATER BOX TYPE ALUMNIUM BODY ESH-01 |  |
| W4062 | 80 W SPACE HEATER BOX TYPE ALUMNIUM BODY ESH-01 | |

WELL CONTACTS CO.
 #56, "Pushpak Cascade", Swathi Road
 Shanthinagar, Bangalore - 560 027

wccblore_2007@yahoo.com
 Ph: +91 80 22226675, 41169654
 Fax: +91 80 22226675

| | | |
|-------|--|--|
| W4063 | 100 W SPACE HEATER BOX TYPE ALUMNIUM BODY ESH-01 | |
| W4064 | 60 W SPACE HEATER STRIP TYPE GI BODY ESH-02S |  |
| W4065 | 80 W SPACE HEATER STRIP TYPE GI BODY ESH-02S | |
| W4066 | 100 W SPACE HEATER STRIP TYPE GI BODY ESH-02S | |
| W4067 | 200 W SPACE HEATER STRIP TYPE GI BODY ESH-02S | |
| W4068 | 1000W SPACE HEATER STRIP TYPE GI BODY ESH-02S | |
| W4070 | 60 W SPACE HEATER STRIP FIN TYPE GI BODY ESH-02SF | |
| W4071 | 80 W SPACE HEATER STRIP FIN TYPE GI BODY ESH-02SF |  |
| W4072 | 100 W SPACE HEATER STRIP FIN TYPE GI BODY ESH-02SF | |
| W4073 | 200 W SPACE HEATER STRIP FIN TYPE GI BODY ESH-02SF | |
| W4074 | 60 W SPACE HEATER STRIP TYPE CLOSED CONNECTOR GI BODY ESH-02SC | |
| W4075 | 80 W SPACE HEATER STRIP TYPE CLOSED CONNECTOR GI BODY ESH-02SC | |
| W4076 | 100 W SPACE HEATER STRIP TYPE CLOSED CONNECTOR GI BODY ESH-02SC | |
| W4077 | 200 W SPACE HEATER STRIP TYPE CLOSED CONNECTOR GI BODY ESH-02SC | |