

PROXIMITY SWITCHES-INDUCTIVE TYPE

CODE # DESCRIPTION & CAT.NO.OF PRODUCTS - IDEAL MAKE

W001	INDUCTIVE SENSOR ID-4-3001 PA/NO.PNP NO
W002	INDUCTIVE SENSOR ID-4-3001 NA/NO.NPN NO
W003	INDUCTIVE SENSOR ID-5-3001 PA/NO.PNP NO
W004	INDUCTIVE SENSOR ID-5-3001 NA/NO.NPN NO
W005	INDUCTIVE SENSOR ID-6-3001 PA/NO.PNP NO
W006	INDUCTIVE SENSOR ID-6-3001 NA/NO.NPN NO
W007	INDUCTIVE SENSOR ID-8-3001 PA/NO.PNP NO
W008	INDUCTIVE SENSOR ID-8-3001 NA/NO.NPN NO
W009	INDUCTIVE SENSOR ID-8-3002 PA/NO.PNP NO
W010	INDUCTIVE SENSOR ID-8-3002 NA/NO.NPN NO
W011	INDUCTIVE SENSOR ID-8-3001 PB-NO.PNP NC
W012	INDUCTIVE SENSOR ID-8-3001 NB-NO.NPN NC
W013	INDUCTIVE SENSOR ID-8-3002 PB-NO.PNP NC
W014	INDUCTIVE SENSOR ID-8-3002 NB-NO.NPN NC
W015	INDUCTIVE SENSOR ID-8-3001 LA-DC.NO
W016	INDUCTIVE SENSOR ID-8-3002 LA-DC.NO
W017	INDUCTIVE SENSOR ID-8-3001 LB-DC.NC
W018	INDUCTIVE SENSOR ID-8-3002 LB-DC.NC
W019	INDUCTIVE SENSOR ID-8-2001 A-AC.NO
W020	INDUCTIVE SENSOR ID-8-2002 A-AC.NO
W021	INDUCTIVE SENSOR ID-8-2001 B-AC.NC
W022	INDUCTIVE SENSOR ID-8-2002 B-AC.NC
W023	INDUCTIVE SENSOR ID-12-3002 PA-NO.PNP NO
W024	INDUCTIVE SENSOR ID-12-3002 NA-NO.NPN NO
W025	INDUCTIVE SENSOR ID-12-3004 PA-NO.PNP NO
W026	INDUCTIVE SENSOR ID-12-3004 NA-NO.NPN NO
W027	INDUCTIVE SENSOR ID-12-3002 PB-NC.PNP NC
W028	INDUCTIVE SENSOR ID-12-3002 NB-NC.NPN NC
W029	INDUCTIVE SENSOR ID-12-3004 PB-NC.PNP NC
W030	INDUCTIVE SENSOR ID-12-3004 NB-NC.NPN NC
W031	INDUCTIVE SENSOR ID-12-3002 LA-DC/NO
W032	INDUCTIVE SENSOR ID-12-3004 LA-DC/NO
W033	INDUCTIVE SENSOR ID-12-3002 LB-DC/NC
W034	INDUCTIVE SENSOR ID-12-3004 LB-DC/NC
W035	INDUCTIVE SENSOR ID-12-2002 A-AC/NO
W036	INDUCTIVE SENSOR ID-12-2004 A-AC/NO
W037	INDUCTIVE SENSOR ID-12-2002 B-AC/NC
W038	INDUCTIVE SENSOR ID-12-2004 B-AC/NC
W039	INDUCTIVE SENSOR ID-12-3002 PC/NC.NO+NC
W040	INDUCTIVE SENSOR ID-12-3004 PC/NC.NO+NC
W041	INDUCTIVE SENSOR ID-12-3002 PA-NO.PNP NO AGS
W042	INDUCTIVE SENSOR ID-12-3002 NA-NO.NPN NO AGS
W043	INDUCTIVE SENSOR ID-12-3004 PA-NO.PNP NO AGS
W044	INDUCTIVE SENSOR ID-12-3004 NA-NO.NPN NO AGS
W045	INDUCTIVE SENSOR ID-12-3002 PB-NC.PNP NC AGS
W046	INDUCTIVE SENSOR ID-12-3002 NB-NC.NPN NC AGS



PROXIMITY SWITCHES--INDUCTIVE TYPE

CODE # DESCRIPTION & CAT.NO.OF PRODUCTS - IDEAL MAKE

W047	INDUCTIVE SENSOR ID-12-3004 PB-NC.PNP NC AGS
W048	INDUCTIVE SENSOR ID-12-3004 NB-NC.NPN NC AGS
W049	INDUCTIVE SENSOR ID-12-3002 LA-DC/NO AGS
W050	INDUCTIVE SENSOR ID-12-3004 LA-DC/NO AGS
W051	INDUCTIVE SENSOR ID-12-3002 LB-DC/NC AGS
W052	INDUCTIVE SENSOR ID-12-3004 LB-DC/NC AGS
W053	INDUCTIVE SENSOR ID-12-2002 A-AC/NO AGS
W054	INDUCTIVE SENSOR ID-12-2004 A-AC/NO AGS
W055	INDUCTIVE SENSOR ID-12-2002 B-AC/NC AGS
W056	INDUCTIVE SENSOR ID-12-2004 B-AC/NC AGS
W057	INDUCTIVE SENSOR ID-12-3002 PC/NC.PNP.NO+NC AGS
W058	INDUCTIVE SENSOR ID-12-3004 PC/NC.PNP.NO+NCAGS
W059	INDUCTIVE SENSOR ID-18-3005 PA-NO.PNP NO
W060	INDUCTIVE SENSOR ID-18-3005 NA-NO.NPN NO
W061	INDUCTIVE SENSOR ID-18-3008 PA-NO.PNP NO
W062	INDUCTIVE SENSOR ID-18-3008 NA-NO.NPN NO
W063	INDUCTIVE SENSOR ID-18-3005 PB-NC.PNP NC
W064	INDUCTIVE SENSOR ID-18-3005 NB-NC.NPN NC
W065	INDUCTIVE SENSOR ID-18-3008 PB-NC.PNP NC
W066	INDUCTIVE SENSOR ID-18-3008 NB-NC.NPN NC
W067	INDUCTIVE SENSOR ID-18-3005 LA-DC.NO
W068	INDUCTIVE SENSOR ID-18-3008 LA-DC.NO
W069	INDUCTIVE SENSOR ID-18-3005 LB-DC.NC
W070	INDUCTIVE SENSOR ID-18-3008 LB-DC.NC
W071	INDUCTIVE SENSOR ID-18-2005 A-AC.NO
W072	INDUCTIVE SENSOR ID-18-2008 A-AC.NO
W073	INDUCTIVE SENSOR ID-18-2005 B-AC.NC
W074	INDUCTIVE SENSOR ID-18-2008 B-AC.NC
W075	INDUCTIVE SENSOR ID-18-3005 PC.PNP NO+NC
W076	INDUCTIVE SENSOR ID-18-3005 NC.NPN NO+NC
W077	INDUCTIVE SENSOR ID-18-3008 PC.PNP NO+NC
W078	INDUCTIVE SENSOR ID-18-3008 NC.NPN NO+NC
W079	INDUCTIVE SENSOR ID-18-3005 PA-NO.PVC PNP NO
W080	INDUCTIVE SENSOR ID-18-3005 NA-NO.PVC NPN NO
W081	INDUCTIVE SENSOR ID-18-3008 PA-NO.PVC PNP NO
W082	INDUCTIVE SENSOR ID-18-3008 NA-NO.PVC NPN NO
W083	INDUCTIVE SENSOR ID-18-3005 PA-NO.PNP NO AGS
W084	INDUCTIVE SENSOR ID-18-3005 NA-NO.NPN NO AGS
W085	INDUCTIVE SENSOR ID-18-3008 PA-NO.PNP NO AGS
W086	INDUCTIVE SENSOR ID-18-3008 NA-NO.NPN NO AGS
W087	INDUCTIVE SENSOR ID-18-3005 PB-NC.PNP NC AGS
W088	INDUCTIVE SENSOR ID-18-3005 NB-NC.NPN NC AGS
W089	INDUCTIVE SENSOR ID-18-3008 PB-NC.PNP NC AGS
W090	INDUCTIVE SENSOR ID-18-3008 NB-NC.NPN NC AGS
W091	INDUCTIVE SENSOR ID-18-3005 LA-DC.NO AGS
W092	INDUCTIVE SENSOR ID-18-3008 LA-DC.NO AGS



PROXIMITY SWITCHES--INDUCTIVE TYPE

CODE # DESCRIPTION & CAT.NO.OF PRODUCTS - IDEAL MAKE

W093	INDUCTIVE SENSOR ID-18-3005 LB-DC.NC AGS
W094	INDUCTIVE SENSOR ID-18-3008 LB-DC.NC AGS
W095	INDUCTIVE SENSOR ID-18-2005 A-AC.NO AGS
W096	INDUCTIVE SENSOR ID-18-2008 A-AC.NO AGS
W097	INDUCTIVE SENSOR ID-18-2005 B-AC.NC AGS
W098	INDUCTIVE SENSOR ID-18-2008 B-AC.NC AGS
W099	INDUCTIVE SENSOR ID-18-3005 PC.PNP NO+NC AGS
W100	INDUCTIVE SENSOR ID-18-3005 NC.NPN NO+NC AGS
W101	INDUCTIVE SENSOR ID-18-3008 PC.PNP NO+NC AGS
W102	INDUCTIVE SENSOR ID-18-3008 NC.NPN NO+NC AGS
W103	INDUCTIVE SENSOR ID-30-3010 PA-NO.PNP NO
W104	INDUCTIVE SENSOR ID-30-3010 NA-NO.NPN NO
W105	INDUCTIVE SENSOR ID-30-3020 PA-NO.PNP NO
W106	INDUCTIVE SENSOR ID-30-3020 NA-NO.NPN NO
W107	INDUCTIVE SENSOR ID-30-3010 PB-NC.PNP NC
W108	INDUCTIVE SENSOR ID-30-3010 NB-NC.NPN NC
W109	INDUCTIVE SENSOR ID-30-3020 PB-NC.PNP NC
W110	INDUCTIVE SENSOR ID-30-3020 NB-NC.NPN NC
W111	INDUCTIVE SENSOR ID-30-3010 LA-DC.NO
W112	INDUCTIVE SENSOR ID-30-3020 LA-DC.NO
W113	INDUCTIVE SENSOR ID-30-3010 LB-DC.NC
W114	INDUCTIVE SENSOR ID-30-3020 LB-DC.NC
W115	INDUCTIVE SENSOR ID-30-2010 A-AC.NO
W116	INDUCTIVE SENSOR ID-30-2020 A-AC.NO
W117	INDUCTIVE SENSOR ID-30-2010 B-AC.NC
W118	INDUCTIVE SENSOR ID-30-2020 B-AC.NC
W119	INDUCTIVE SENSOR ID-30-3010 PA-NO.PNP NO AGS
W120	INDUCTIVE SENSOR ID-30-3010 NA-NO.NPN NO AGS
W121	INDUCTIVE SENSOR ID-30-3020 PA-NO.PNP NO AGS
W122	INDUCTIVE SENSOR ID-30-3020 NA-NO.NPN NO AGS
W123	INDUCTIVE SENSOR ID-30-3010 PB-NC.PNP NC AGS
W124	INDUCTIVE SENSOR ID-30-3010 NB-NC.NPN NC AGS
W125	INDUCTIVE SENSOR ID-30-3020 PB-NC.PNP NC AGS
W126	INDUCTIVE SENSOR ID-30-3020 NB-NC.NPN NC AGS
W127	INDUCTIVE SENSOR ID-30-3010 LA-DC.NO AGS
W128	INDUCTIVE SENSOR ID-30-3020 LA-DC.NO AGS
W129	INDUCTIVE SENSOR ID-30-3010 LB-DC.NC AGS
W130	INDUCTIVE SENSOR ID-30-3020 LB-DC.NC AGS
W131	INDUCTIVE SENSOR ID-30-2010 A-AC.NO AGS
W132	INDUCTIVE SENSOR ID-30-2020 A-AC.NO AGS
W133	INDUCTIVE SENSOR ID-30-2010 B-AC.NC AGS
W134	INDUCTIVE SENSOR ID-30-2020 B-AC.NC AGS
W135	INDUCTIVE SENSOR ID-35-3017 PA-NO.PNP NO
W136	INDUCTIVE SENSOR ID-35-3017 NA-NO.NPN NO
W137	INDUCTIVE SENSOR ID-35-3030 PA-NO.PNP NO
W138	INDUCTIVE SENSOR ID-35-3030 NA-NO.NPN NO



PROXIMITY SWITCHES--INDUCTIVE TYPE

CODE # DESCRIPTION & CAT.NO.OF PRODUCTS - IDEAL MAKE

- W139 INDUCTIVE SENSOR ID-35-2017 A-AC.NO
- W140 INDUCTIVE SENSOR ID-35-2020 A-AC.NO
- W141 INDUCTIVE SENSOR ID-35-2017 B-AC.NC
- W142 INDUCTIVE SENSOR ID-35-2020 B-AC.NC
- W143 INDUCTIVE SENSOR ID-48-3038 PA-PNP.NO
- W144 INDUCTIVE SENSOR ID-48-3038 NA-NPN.NO
- W145 INDUCTIVE SENSOR ID-48-2028 A-AC.NO
- W146 INDUCTIVE SENSOR ID-55-3030 PA-NO.PNP.NO
- W147 INDUCTIVE SENSOR ID-55-3030 NA-NO NPN.NO
- W148 INDUCTIVE SENSOR ID-10-3003 PA.PNP NO
- W149 INDUCTIVE SENSOR ID-10-3003 NA.NPN NO
- W150 INDUCTIVE SENSOR ID-14-3005 PA.PNP NO
- W151 INDUCTIVE SENSOR ID-14-3005 NA.NPN NO
- W152 INDUCTIVE SENSOR ID-20-3010 PA.PNP NO
- W153 INDUCTIVE SENSOR ID-20-3010 NA.NPN NO
- W154 INDUCTIVE SENSOR ID-22-3010 PA.PNP NO
- W155 INDUCTIVE SENSOR ID-22-3010 NA.NPN NO
- W156 INDUCTIVE SENSOR ID-24-3010 PA.PNP NO
- W157 INDUCTIVE SENSOR ID-24-3010 NA.NPN NO



PROXIMITY SWITCHES INDUCTIVE FORK TYPE

- W158 INDUCTIVE FORK TYPE SENSOR IDF-56-3010 PA.PNP.NO
- W159 INDUCTIVE FORK TYPE SENSOR IDF-56-3010 NA.NPN.NO
- W160 INDUCTIVE FORK TYPE SENSOR IDF-58-3010 PA.PNP.NO
- W161 INDUCTIVE FORK TYPE SENSOR IDF-58-3010 NA.NPN.NO



PROXIMITY SWITCHES INDUCTIVE CONNECTOR TYPE

CODE # DESCRIPTION & CAT.NO.OF PRODUCTS - IDEAL MAKE

- W162 INDUCTIVE CONNECTOR SENSOR ID-4-3001 PAT PNP NO
- W163 INDUCTIVE CONNECTOR SENSOR ID-4-3001 NAT NPN NO
- W164 INDUCTIVE CONNECTOR SENSOR ID-5-3001 PAT.PNP NO
- W165 INDUCTIVE CONNECTOR SENSOR ID-5-3001 NAT.NPN NO
- W166 INDUCTIVE CONNECTOR SENSOR ID-6-3001 PAT.PNP NO
- W167 INDUCTIVE CONNECTOR SENSOR ID 6-3001 NAT.NPN NO
- W168 INDUCTIVE CONNECTOR SENSOR ID-8-3001 PAT.PNP NO
- W169 INDUCTIVE CONNECTOR SENSOR ID-8-3001 NAT.NPN NO
- W170 INDUCTIVE CONNECTOR SENSOR ID-8-3002 PAT.PNP NO
- W171 INDUCTIVE CONNECTOR SENSOR ID-8-3002 NAT.NPN NO
- W172 INDUCTIVE CONNECTOR SENSOR ID-8-3001 PBT PNP NC
- W173 INDUCTIVE CONNECTOR SENSOR ID-8-3001 NBT NPN NC
- W174 INDUCTIVE CONNECTOR SENSOR ID-8-3002 PBT PNP NC
- W175 INDUCTIVE CONNECTOR SENSOR ID-8-3002 NBT NPN NC
- W176 INDUCTIVE CONNECTOR SENSOR ID-12-3002 PAT.PNP NO
- W177 INDUCTIVE CONNECTOR SENSOR ID-12-3002 NAT.NPN NO
- W178 INDUCTIVE CONNECTOR SENSOR ID-12-3004 PAT.PNP NO
- W179 INDUCTIVE CONNECTOR SENSOR ID-12-3004 NAT.NPN NO



PROXIMITY SWITCHES INDUCTIVE CONNECTOR TYPE

CODE # DESCRIPTION & CAT.NO.OF PRODUCTS - IDEAL MAKE

W180	INDUCTIVE CONNECTOR SENSOR	ID-12-3002 PBT.PNP NC
W181	INDUCTIVE CONNECTOR SENSOR	ID-12-3002 NBT.NPN.NC
W182	INDUCTIVE CONNECTOR SENSOR	ID-12-3004 PBT.PNP.NC
W183	INDUCTIVE CONNECTOR SENSOR	ID-12-3004 NBT.NPN.NC
W184	INDUCTIVE CONNECTOR SENSOR	ID-12-2002 AT-AC-NO
W185	INDUCTIVE CONNECTOR SENSOR	ID-12-2002 AT-AC-NC
W186	INDUCTIVE CONNECTOR SENSOR	ID-12-2004 AT-AC-NO
W187	INDUCTIVE CONNECTOR SENSOR	ID-12-2004 AT-AC-NC
W188	INDUCTIVE CONNECTOR SENSOR	ID-18-3005 PAT PNP.NO
W189	INDUCTIVE CONNECTOR SENSOR	ID-18-3005 NAT NPN NO
W190	INDUCTIVE CONNECTOR SENSOR	ID-18-3008 PAT.PNP.NO
W191	INDUCTIVE CONNECTOR SENSOR	ID-18-3008 NAT.NPN NO
W192	INDUCTIVE CONNECTOR SENSOR	ID-18-3005 PBT PNP.NC
W193	INDUCTIVE CONNECTOR SENSOR	ID-18-3005 NBT NPN NC
W194	INDUCTIVE CONNECTOR SENSOR	ID-18-3008 PBT PNP.NC
W195	INDUCTIVE CONNECTOR SENSOR	ID-18-3008 NBT NPN NC
W196	INDUCTIVE CONNECTOR SENSOR	ID-18-2005 AT-AC-NO
W197	INDUCTIVE CONNECTOR SENSOR	ID-18-2005 AT-AC-NC
W198	INDUCTIVE CONNECTOR SENSOR	ID-18-2008 AT-AC-NO
W199	INDUCTIVE CONNECTOR SENSOR	ID-18-2008 AT-AC-NC
W200	INDUCTIVE CONNECTOR SENSOR	ID-30-3010 PAT.PNP.NO
W201	INDUCTIVE CONNECTOR SENSOR	ID-30-3010 NAT.NPN NO
W202	INDUCTIVE CONNECTOR SENSOR	ID-30-3020 PAT.PNP.NO
W203	INDUCTIVE CONNECTOR SENSOR	ID-30-3020 NAT.NPN NO
W204	INDUCTIVE CONNECTOR SENSOR	ID-30-3010 PBT.PNP.NC
W205	INDUCTIVE CONNECTOR SENSOR	ID-30-3010 NBT.NPN NC
W206	INDUCTIVE CONNECTOR SENSOR	ID-30-3020 PBT.PNP.NC
W207	INDUCTIVE CONNECTOR SENSOR	ID-30-3020 NBT.NPN NC



PROXIMITY SWITCHES INDUCTIVE RECTANGULAR TYPE

W208	INDUCTIVE SENSOR IDF-1-3005 PA.PNP.NO
W209	INDUCTIVE SENSOR IDF-1-3005 NA.NPN.NO
W210	INDUCTIVE SENSOR IDF-1-3005 PB.PNP NC
W211	INDUCTIVE SENSOR IDF-1-3005 NB.NPN.NC
W212	INDUCTIVE SENSOR IDF-2-3005 PA.PNP.NO
W213	INDUCTIVE SENSOR IDF-2-3005 NA NPN.NO
W214	INDUCTIVE SENSOR IDF-2-2005 A-AC.NO
W215	INDUCTIVE SENSOR IDF-2-3005 PB.PNP.NC
W216	INDUCTIVE SENSOR IDF-2-3005.NB NPN.NC
W217	INDUCTIVE SENSOR IDF-3-3005 PA.PNP.NO
W218	INDUCTIVE SENSOR IDF-3-3005 NA.NPN.NO
W219	INDUCTIVE SENSOR IDF-3-3008 PA.PNP.NO
W220	INDUCTIVE SENSOR IDF-3-3008 NA.NPN.NO
W221	INDUCTIVE SENSOR IDF-3-2005A-AC.NO



PROXIMITY SWITCHES INDUCTIVE RECTANGULAR TYPE

- W222 INDUCTIVE SENSOR IDF-3-2008A.AC.NO
- W223 INDUCTIVE SENSOR IDF-3-3005 PB.PNP.NC
- W224 INDUCTIVE SENSOR IDF-3-3005 NB.NPN.NC
- W225 INDUCTIVE SENSOR IDF-3-3008 PB.PNP.NC
- W226 INDUCTIVE SENSOR IDF-3-3008 NB.NPN.NC
- W227 INDUCTIVE SENSOR IDF-5-3004 PA.PNP.NO
- W228 INDUCTIVE SENSOR IDF-5-3004 NA.NPN.NO
- W229 INDUCTIVE SENSOR IDF-6-3010 PA.PNP.NO
- W230 INDUCTIVE SENSOR IDF-6-3010 NA.NPN.NO
- W231 INDUCTIVE SENSOR IDF-7-3020 PA.PNP.NO
- W232 INDUCTIVE SENSOR IDF-7-3020 NA.NPN.NO
- W233 INDUCTIVE SENSOR IDF-10-3025 PA.PNP.NO
- W234 INDUCTIVE SENSOR IDF-10-3025 NA.NPN.NO
- W235 INDUCTIVE SENSOR IDF-11-3005 PA.PNP.NO
- W236 INDUCTIVE SENSOR IDF-11-3005 NA.NPN.NO
- W237 INDUCTIVE SENSOR IDF-11-2005 A-AC.NO
- W238 INDUCTIVE SENSOR IDF-15-3004 PA.PNP.NO
- W239 INDUCTIVE SENSOR IDF-15-3004 NA.NPN.NO
- W240 INDUCTIVE SENSOR IDF-15-3005 PA.PNP.NO
- W241 INDUCTIVE SENSOR IDF-15-3005 NA.NPN.NO
- W242 INDUCTIVE SENSOR IDF-24-3005 PA.PNP.NO
- W243 INDUCTIVE SENSOR IDF-24-3005 NA.NPN.NO
- W244 INDUCTIVE SENSOR IDF-29-3005 PA.PNP.NO
- W245 INDUCTIVE SENSOR IDF-29-3005 NA.NPN.NO



PROXIMITY SWITCHES CAPACITIVE TYPE

- W246 CAPACITIVE SENSOR CID-12-3002 PA.PNP NO
- W247 CAPACITIVE SENSOR CID-12-3002 NA.NPN NO
- W248 CAPACITIVE SENSOR CID-12-3004 PA.PNP NO
- W249 CAPACITIVE SENSOR CID-12-3004 NA.NPN NO
- W250 CAPACITIVE SENSOR CID-12-2002 AC-NO
- W251 CAPACITIVE SENSOR CID-12-2004 AC-NO
- W252 CAPACITIVE SENSOR CID-18-3005 PA.PNP NO
- W253 CAPACITIVE SENSOR CID-18-3005 NA.NPN NO
- W254 CAPACITIVE SENSOR CID-18-3008 PA.PNP NO
- W255 CAPACITIVE SENSOR CID-18-3008 NA.NPN NO
- W256 CAPACITIVE SENSOR CID-18-3005 AC-NO
- W257 CAPACITIVE SENSOR CID-18-3008 AC-NO
- W258 CAPACITIVE SENSOR CID-30-3010 PA.PNP NO
- W259 CAPACITIVE SENSOR CID-30-3010 NA.NPN NO
- W260 CAPACITIVE SENSOR CID-30-3020 PA.PNP NO
- W261 CAPACITIVE SENSOR CID-30-3020 NA.NPN NO
- W262 CAPACITIVE SENSOR CID-30-3010 PC.PNP NC
- W263 CAPACITIVE SENSOR CID-30-3010 NB.NPN NC
- W264 CAPACITIVE SENSOR CID-30-3020 PB.PNP NC
- W265 CAPACITIVE SENSOR CID-30-3020 NB.NPN NC
- W266 CAPACITIVE SENSOR CID-30-2010 AC-NO
- W267 CAPACITIVE SENSOR CID-30-2020 AC-NO
- W268 CAPACITIVE SENSOR CID-30-3010 PC.PNP NO+NC
- W269 CAPACITIVE SENSOR CID-30-3010 NC.NPN NO+NC
- W270 CAPACITIVE SENSOR CID-30-3020 PC.PNP NO+NC
- W271 CAPACITIVE SENSOR CID-30-3020 NC.NPN NO+NC

PROXIMITY SWITCHES PHOTO ELECTRIC DIFFUSE TYPE

- W272 PHOTO DIFFUSE SENSOR GID-12-3A07 PA.PNP.NO
- W273 PHOTO DIFFUSE SENSOR GID-12-3A07 NA.NPN.NO
- W274 PHOTO DIFFUSE SENSOR GID-12-3A20 PC/NC-NO.PNP.NO+NC
- W275 PHOTO DIFFUSE SENSOR GID-13-3A10 PA.PNP.NO
- W276 PHOTO DIFFUSE SENSOR GID-13-3A10 NA.NPN.NO
- W277 PHOTO DIFFUSE SENSOR GID-14-3A10 PA.PNP.NO
- W278 PHOTO DIFFUSE SENSOR GID-14-3A10 NA.NPN.NO
- W279 PHOTO DIFFUSE SENSOR GID-15-3A10 PA.PNP.NO
- W280 PHOTO DIFFUSE SENSOR GID-15-3A10 NA.NPN.NO
- W281 PHOTO DIFFUSE SENSOR GID-16-3A10 PA.PNP.NO
- W282 PHOTO DIFFUSE SENSOR GID-16-3A10 NA.NPN.NO
- W283 PHOTO DIFFUSE SENSOR GID-17-3A70 PA.PNP.NO
- W284 PHOTO DIFFUSE SENSOR GID-17-3A70 NA.NPN.NO
- W285 PHOTO DIFFUSE SENSOR GID-18-3A40 PC.PNP.NO+NC
- W286 PHOTO DIFFUSE SENSOR GID-18-3A40 NC.NPN.NO+NC
- W287 PHOTO DIFFUSE SENSOR GID-18-3A10 PC PNP.NO+NC
- W288 PHOTO DIFFUSE SENSOR GID-18-3A10 NC NPN.NO+NC

- W289 PHOTO DIFFUSE SENSOR GID-18-2A10 AT-AC.NO
- W290 PHOTO DIFFUSE SENSOR GID-18-2A30 AT-AC.NO
- W291 PHOTO DIFFUSE SENSOR GID-18-2A10 B-AC.NC
- W292 PHOTO DIFFUSE SENSOR GID-18-2A30 B-AC.NC

- W293 PHOTO DIFFUSE SENSOR GID-24-3A50 PA.PNP.NO
- W294 PHOTO DIFFUSE SENSOR GID-24-3A50 NA.NPN.NO
- W295 PHOTO DIFFUSE SENSOR GID-30.3A70 PC.PNP.NO+NC
- W296 PHOTO DIFFUSE SENSOR GID-30.3A70 NC.NPN.NO+NC
- W297 PHOTO DIFFUSE SENSOR GID-30-2A70 A-AC.NO
- W298 PHOTO DIFFUSE SENSOR RECTANGLE

- GID-50-DS30JC-24-240 AC/DC RELAY OUTPUT
- W299 PHOTO DIFFUSE FORK SENSOR GID-56-3E01 PA.PNP.NO(56*25*16)
- W300 PHOTO DIFFUSE FORK SENSOR GID-56-3E01 NA.NPN.NO(56*25*16)
- W301 PHOTO DIFFUSE FORK SENSOR GID-63-3E03 PA.PNP.NO(72*52*20)
- W302 PHOTO DIFFUSE CONNECTOR SENSOR GID-12-3A07 PAT.PNP.NO
- W303 PHOTO DIFFUSE CONNECTOR SENSOR GID-12-3A07 NAT.NPN.NO
- W304 PHOTO DIFFUSE CONNECTOR SENSOR GID-18-3A40 PAT.PNP.NO
- W305 PHOTO DIFFUSE CONNECTOR SENSOR GID-18-3A40 PAT.PNP.NO

PROXIMITY SWITCHES PHOTO ELECTRIC DIFFUSE WITH RETRO REFLECTOR

- W306 PHOTO DIFFUSE SENSOR WITH RETRO REFLECTOR-
GID-18-3B2 PCP.NP.NO+NC
- W307 PHOTO DIFFUSE SENSOR WITH RETRO REFLECTOR-
GID-18-3B2 NC.NPN NO+NC
- W308 PHOTO DIFFUSE SENSOR WITH RETRO REFLECTOR GID-50-4B5JC



PROXIMITY SWITCHES PHOTO ELECTRIC THROUGH BEAM

- W309 PHOTO TRUE BEAM SENSOR GID-12-3C3 PA.PNP.NO
- W310 PHOTO TRUE BEAM SENSOR GID-12-3C3 NA.NPN.NO
- W311 PHOTO TRUE BEAM SENSOR GID-15-3C5 PA.PNP.NO
- W312 PHOTO TRUE BEAM SENSOR GID-15-3C5 NA.NPN.NO
- W313 PHOTO TRUE BEAM SENSOR GID-18-3C5 PC PNP.NO+NC
- W314 PHOTO TRUE BEAM SENSOR GID-18-3C5 NC NPN NO+NC
- W315 PHOTO TRUE BEAM RECTANGLE SENSOR GID-50-4C5JC-24-240VAC/DC

PROXIMITY SWITCHES HALL TYPE MAGNETIC:

- W316 MAGNETIC HALL SENSOR SM-8-3001 PA.PNP.NO
- W317 MAGNETIC HALL SENSOR SM-8-3001 NA.NPN.NO
- W318 MAGNETIC HALL SENSOR SM-12-3004 PA.PNP.NO
- W319 MAGNETIC HALL SENSOR SM-12-3004 NA.NPN.NO
- W320 MAGNETIC HALL SENSOR SM18-3010 PA.PNP.NO
- W321 MAGNETIC HALL SENSOR SM18-3010 NA.NPN.NO

PROXIMITY SWITCHES REED SENSOR:

- W322 REED SENSOR ID-TCSIF-AC/DC

COLOUR CODE SENSOR:

- W323 COLOUR CODE SENSOR ID-BZI-211.NPN/OUTPUT

AREA SECURE SENSOR TYPE-GM SERIES:

- W324 AREA SECURE SENSOR GM-40-4/120 MM
- W325 AREA SECURE SENSOR GM-40-8/280 MM
- W326 AREA SECURE SENSOR GM-40-10/360 MM

PROXIMITY SWITCHES SUITABLE FOR AUTONIX TYPE

- W327 RECTANGLE AUTONIX TYPE IDPS-17-5-DP/DN
- W328 RECTANGLE AUTONIX TYPE IDPS-25-5-DP/DN
- W329 RECTANGLE AUTONIX TYPE IDPS-30-10-DP/DN
- W330 RECTANGLE AUTONIX TYPE IDPS-40-20-DP/DN
- W331 PHOTO DIFFUSE SENSOR AUTONIX TYPE ID-BEN-10M-TFR

PROXIMITY SWITCHES SUITABLE FOR T/C TYPE INDUCTIVE

- W332 INDUCTIVE SENSOR T/C TYPE IDQ-12-3004 PNP NO FLUSH
- W333 INDUCTIVE SENSOR T/C TYPE IDQ-12-3004 NPN.NO FLUSH
- W334 INDUCTIVE SENSOR T/C TYPE IDQ-18-3005 PNP NO FLUSH
- W335 INDUCTIVE SENSOR T/C TYPE IDQ-18-3005 PNP NO FLUSH

FLOAT SENSOR:

- W336 FLOAT SENSOR SS-316

SPARE REFLECTOR

- W337 SPARE REFLECTOR FOR PHOTO SENSOR



SPARE CONNECTOR FOR INDUCTIVE PROXIMITY SWITCH

- W338 SPARE CONNECTOR WITH CABLE FOR M-12 PNP.NO SENSOR
- W339 SPARE CONNECTOR WITH CABLE FOR M-12 NPN.NO SENSOR
- W340 SPARE CONNECTOR WITH CABLE FOR M-18 PNP.NO SENSOR
- W341 SPARE CONNECTOR WITH CABLE FOR M-18 NPN.NO SENSOR

SOLID STATE RELAY SINGLE PHASE : DC-AC(IN-3-32VDC/OP-90-480VAC)

- W342 SSR ID-10-DA.10A.DC-AC
- W343 SSR ID-16-DA.16A.DC-AC
- W344 SSR ID-25-DA.25A.DC-AC
- W345 SSR ID-40-DA.40A.DC-AC
- W346 SSR ID-50-DA.50A.DC-AC
- W347 SSR ID-60-DA.60A.DC-AC
- W348 SSR ID-70-DA.70A.DC-AC
- W349 SSR ID-90-DA.90A.DC-AC
- W350 SSR ID-120-DA.120A.DC-AC



SOLID STATE RELAY SINGLE PHASE: AC-AC(IN-80-250VAC/OP-90-480VAC)

- W351 SSR ID-10-AA.10A.AC-AC
- W352 SSR ID-16-AA.16A.AC-AC
- W353 SSR ID-25-AA.25A.AC-AC
- W354 SSR ID-40-AA.40A.AC-AC
- W355 SSR ID-50-AA.50A.AC-AC
- W356 SSR ID-60-AA.60A.AC-AC
- W357 SSR ID-70-AA.70A.AC-AC
- W358 SSR ID-90-AA.90A.AC-AC
- W359 SSR ID-120-AA.120A.AC-AC



SOLID STATE RELAY SINGLE PHASE: DC-DC(IN-3-32VDC/OP-5-60VDC)

- W360 SSR ID-10-DD.10A.DC-DC
- W361 SSR ID-16-DD.16A.DC-DC
- W362 SSR ID-25-DD.25A.DC-DC
- W363 SSR ID-40-DD.40A.DC-DC



SOLID STATE RELAY THREE PHASE : DC-AC(IN-3-32VDC/OP-48-480VAC)

- W364 SSR ID-10-3P.10A.3PHASE DC-AC
- W365 SSR ID-16-3P.16A.3PHASE DC-AC
- W366 SSR ID-25-3P.25A.3PHASE DC-AC
- W367 SSR ID-40-3P.40A.3PHASE DC-AC
- W368 SSR ID-50-3P.50A.3PHASE DC-AC
- W369 SSR ID-60-3P.60A.3PHASE DC-AC
- W370 SSR ID-70-3P.70A.3PHASE DC-AC
- W371 SSR ID-90-3P.90A.3PHASE DC-AC
- W372 SSR ID-120-3P.120A.3PHASE DC-AC




SOLID STATE RELAY THREE PHASE : AC-AC(IN-80-250VAC/OP-90-480VAC)

- W373 SSR ID-10-3P.10A.3PHASE AC-AC
- W374 SSR ID-16-3P.16A.3PHASE AC-AC
- W375 SSR ID-25-3P.25A.3PHASE AC-AC
- W376 SSR ID-40-3P.40A.3PHASE AC-AC
- W377 SSR ID-50-3P.50A.3PHASE AC-AC
- W378 SSR ID-60-3P.60A.3PHASE AC-AC
- W379 SSR ID-70-3P.70A.3PHASE AC-AC
- W380 SSR ID-90-3P.90A.3PHASE AC-AC
- W381 SSR ID-120-3P.120A.3PHASE AC-AC



HEAT SINK (ALU.)

- W382 HEAT SINK SINGLE PHASE UPTO 40A.
- W383 HEAT SINK THREE PHASE



POWER SUPPLY UNIT-5V

- W384 POWER SUPPLY UNIT SID-5-5V.1A.5VDC
- W385 POWER SUPPLY UNIT SID 10-5V.2A.5VDC
- W386 POWER SUPPLY UNIT SID 15-5V.3A.5VDC
- W387 POWER SUPPLY UNIT SID 25-5V.5A.5VDC
- W388 POWER SUPPLY UNIT SID 35-5V.7A.5VDC
- W389 POWER SUPPLY UNIT SID 40-5V.8A.5VDC
- W390 POWER SUPPLY UNIT SID 50-5V .10A.5VDC
- W391 POWER SUPPLY UNIT SID 60-5V.12A.5VDC
- W392 POWER SUPPLY UNIT SID 75-5V.15A.5VDC
- W393 POWER SUPPLY UNIT SID 100-5V.20A.5VDC
- W394 POWER SUPPLY UNIT SID 120-5V.24A.5VDC
- W395 POWER SUPPLY UNIT SID 145-5V.29A.5VDC
- W396 POWER SUPPLY UNIT SID 200-5V.40A.5VDC
- W397 POWER SUPPLY UNIT SID 240-5V.48A.5VDC



POWER SUPPLY UNIT-12V

- W398 POWER SUPPLY UNIT SID-15-12V.1.25A.12VDC
- W399 POWER SUPPLY UNIT SID 25 -2.1A.12VDC
- W400 POWER SUPPLY UNIT SID 35 -2.9A.12VDC
- W401 POWER SUPPLY UNIT SID 40 -12V.3.33A.12VDC
- W402 POWER SUPPLY UNIT SID 50 -12V.4.2A.12VDC
- W403 POWER SUPPLY UNIT SID 60 -12V.5A.12VDC
- W404 POWER SUPPLY UNIT SID 75 -12V.6A.12VDC
- W405 POWER SUPPLY UNIT SID 100 -12V.8.5A.12VDC
- W406 POWER SUPPLY UNIT SID 120 -12V.10A.12VDC
- W407 POWER SUPPLY UNIT SID 145 -12V.12.A.12VDC
- W408 POWER SUPPLY UNIT SID 200 -12V.16A.12VDC
- W409 POWER SUPPLY UNIT SID 240 -12V.20A.12VDC
- W410 POWER SUPPLY UNIT SID 300 -12V.25A.12VDC
- W411 POWER SUPPLY UNIT SID 350 -12V.29A.12VDC
- W412 POWER SUPPLY UNIT SID 400 -12V.33A.12VDC
- W413 POWER SUPPLY UNIT SID 500 -12V.41A.12VDC



POWER SUPPLY UNIT-24V

- W414 POWER SUPPLY UNIT SID-15-24V.0.6A.24VDC
- W415 POWER SUPPLY UNIT SID 25 -24V.1.1A.24VDC
- W416 POWER SUPPLY UNIT SID 35 -24V.1.46A.24VDC
- W417 POWER SUPPLY UNIT SID 40 -24V.1.67.24VDC
- W418 POWER SUPPLY UNIT SID 50 -24V.2.1A.24VDC
- W419 POWER SUPPLY UNIT SID 60 -24V.2.5A.24VDC
- W420 POWER SUPPLY UNIT SID 75 -24V.3.12.24VDC
- W421 POWER SUPPLY UNIT SID 100 -24V.4.5A.24VDC
- W422 POWER SUPPLY UNIT SID 120 -24V.5A.24VDC
- W423 POWER SUPPLY UNIT SID 145-24V.6.04.A.24VDC



POWER SUPPLY UNIT-24V

- W424 POWER SUPPLY UNIT SID 200 -24V.8.3A.24VDC
- W425 POWER SUPPLY UNIT SID 240-24V.10.2A.24VDC
- W426 POWER SUPPLY UNIT SID 300-24V.12.5A.24VDC
- W427 POWER SUPPLY UNIT SID 350-24V.14.58A.24VDC
- W428 POWER SUPPLY UNIT SID 400-24V.16.67A.24VDC
- W429 POWER SUPPLY UNIT SID 500-24V.20.83A.24VDC
- W430 POWER SUPPLY UNIT SID 600-24V.25A.24VDC
- W431 POWER SUPPLY UNIT SID 1000- 24V.41.66A.24VDC



POWER SUPPLY UNIT-48V

- W432 POWER SUPPLY UNIT SID 50-48V.1.04A.48VDC
- W433 POWER SUPPLY UNIT SID 100-48V.2.08A.48VDC
- W434 POWER SUPPLY UNIT SID 200-48V.4.16A.48VDC



POWER SUPPLY UNIT-DIN RAIL TYPE-24V

- W435
- W436
- W437
- W438



POWER SUPPLY UNIT-MINI SERIES

- W439 POWER SUPPLY UNIT MINI S-S-10-5V. 2A.5VDC
- W440 POWER SUPPLY UNIT MINI S-S-20-5V. 4.0A.5VDC
- W441 POWER SUPPLY UNIT MINI S-S-10-12V. 1A.12VDC
- W442 POWER SUPPLY UNIT MINI S-S-20-12V. 1.6A.12VDC
- W443 POWER SUPPLY UNIT MINI S-S-10-24V.0.5A.24VDC
- W444 POWER SUPPLY UNIT MINI S-S-20-24V.1.0A.24VDC

22.5MM DIA LED INDICATORS

- W445 22.5 DIA LED INDICATOR 220VAC RED ID16-22 IDEAL
- W446 22.5 DIA LED INDICATOR 220VAC AMBER ID16-22 IDEAL
- W447 22.5 DIA LED INDICATOR 220VAC GREEN ID16-22 IDEAL
- W448 22.5 DIA LED INDICATOR 220VAC BLUE ID16-22 IDEAL
- W449 22.5 DIA LED INDICATOR 220VAC WHITE ID16-22 IDEAL
- W450 22.5 DIA LED INDICATOR 220VAC YELLOW ID16-22 IDEAL



- W451 22.5 DIA LED INDICATOR 24VDC RED ID16-22 IDEAL
- W452 22.5 DIA LED INDICATOR 24VDC AMBER ID16-22 IDEAL
- W453 22.5 DIA LED INDICATOR 24VDC GREEN ID16-22 IDEAL
- W454 22.5 DIA LED INDICATOR 24VDC BLUE ID16-22 IDEAL
- W455 22.5 DIA LED INDICATOR 24VDC WHITE ID16-22 IDEAL
- W456 22.5 DIA LED INDICATOR 24VDC YELLOW ID16-22 IDEAL

- W457 22.5 DIA LED INDICATOR 110VAC RED ID16-22 IDEAL
- W458 22.5 DIA LED INDICATOR 110VAC AMBER ID16-22 IDEAL
- W459 22.5 DIA LED INDICATOR 110VAC GREEN ID16-22 IDEAL
- W460 22.5 DIA LED INDICATOR 110VAC BLUE ID16-22 IDEAL
- W461 22.5 DIA LED INDICATOR 110VAC WHITE ID16-22 IDEAL
- W462 22.5 DIA LED INDICATOR 110VAC YELLOW ID16-22 IDEAL



22.5MM DIA LED INDICATORS

- W463 22.5 DIA LED INDICATOR 12VDC RED ID16-22 IDEAL
- W464 22.5 DIA LED INDICATOR 12VDC AMBER ID16-22 IDEAL
- W465 22.5 DIA LED INDICATOR 12VDC GREEN ID16-22 IDEAL
- W466 22.5 DIA LED INDICATOR 12VDC BLUE ID16-22 IDEAL
- W467 22.5 DIA LED INDICATOR 12VDC WHITE ID16-22 IDEAL
- W468 22.5 DIA LED INDICATOR 12VDC YELLOW ID16-22 IDEAL



- W469 22.5 DIA LED INDICATOR 220VDC RED ID16-22 IDEAL
- W470 22.5 DIA LED INDICATOR 220VDC AMBER ID16-22 IDEAL
- W471 22.5 DIA LED INDICATOR 220VDC GREEN ID16-22 IDEAL
- W472 22.5 DIA LED INDICATOR 220VDC BLUE ID16-22 IDEAL
- W473 22.5 DIA LED INDICATOR 220VDC WHITE ID16-22 IDEAL
- W474 22.5 DIA LED INDICATOR 220VDC YELLOW ID16-22 IDEAL

- W475 22.5 DIA LED INDICATOR 6VDC RED ID16-22 IDEAL
- W476 22.5 DIA LED INDICATOR 6VDC AMBER ID16-22 IDEAL
- W477 22.5 DIA LED INDICATOR 6VDC GREEN ID16-22 IDEAL
- W478 22.5 DIA LED INDICATOR 6VDC BLUE ID16-22 IDEAL
- W479 22.5 DIA LED INDICATOR 6VDC WHITE ID16-22 IDEAL
- W480 22.5 DIA LED INDICATOR 6VDC YELLOW ID16-22 IDEAL

- W481 22.5 DIA LED INDICATOR 415VAC RED ID16-22 IDEAL
- W482 22.5 DIA LED INDICATOR 415VAC AMBER ID16-22 IDEAL
- W483 22.5 DIA LED INDICATOR 415VAC GREEN ID16-22 IDEAL
- W484 22.5 DIA LED INDICATOR 415VAC BLUE ID16-22 IDEAL
- W485 22.5 DIA LED INDICATOR 415VAC WHITE ID16-22 IDEAL
- W486 22.5 DIA LED INDICATOR 415VAC YELLOW ID16-22 IDEAL

- W487 22.5 DIA LED INDICATOR 48VDC RED ID16-22 IDEAL
- W488 22.5 DIA LED INDICATOR 48VDC AMBER ID16-22 IDEAL
- W489 22.5 DIA LED INDICATOR 48VDC GREEN ID16-22 IDEAL
- W490 22.5 DIA LED INDICATOR 48VDC BLUE ID16-22 IDEAL
- W491 22.5 DIA LED INDICATOR 48VDC WHITE ID16-22 IDEAL
- W492 22.5 DIA LED INDICATOR 48VDC YELLOW ID16-22 IDEAL

FLASHER WITH BUZZER 22.5MM DIA

- W493 22.5 DIA INDICATOR WITH BUZZER RED 220VAC IDEAL
- W494 22.5 DIA INDICATOR WITH BUZZER GREEN 220VAC IDEAL
- W495 22.5 DIA INDICATOR WITH BUZZER AMBER 220VAC IDEAL



- W496 22.5 DIA INDICATOR WITH BUZZER RED 24VDC IDEAL
- W497 22.5 DIA INDICATOR WITH BUZZER GREEN 24VDC IDEAL
- W498 22.5 DIA INDICATOR WITH BUZZER AMBER 24VDC IDEAL

- W499 22.5 DIA INDICATOR WITH BUZZER RED 110VAC IDEAL
- W500 22.5 DIA INDICATOR WITH BUZZER GREEN 110VAC IDEAL
- W501 22.5 DIA INDICATOR WITH BUZZER AMBER 110VAC IDEAL



BUZZER 22.5MM DIA

- W502 22.5 DIA BUZZER 220VAC IDEAL
- W503 22.5 DIA BUZZER 110VAC IDEAL
- W504 22.5 DIA BUZZER 24VDC IDEAL



22.5MM PUSH BUTTON.METAL

- W505 22.5 DIA PUSH BUTTON RED IDEAL
- W506 22.5 DIA PUSH BUTTON RED IDEAL WITH ELEMENT
- W507 22.5 DIA PUSH BUTTON YELLOW IDEAL
- W508 22.5 DIA PUSH BUTTON YELLOW IDEAL WITH ELEMENT
- W509 22.5 DIA PUSH BUTTON GREEN IDEAL
- W510 22.5 DIA PUSH BUTTON GREEN IDEAL WITH ELEMENT
- W511 22.5 DIA PUSH BUTTON BLUE IDEAL
- W512 22.5 DIA PUSH BUTTON BLUE IDEAL WITH ELEMENT
- W513 22.5 DIA PUSH BUTTON WHITE IDEAL
- W514 22.5 DIA PUSH BUTTON WHITE IDEAL WITH ELEMENT
- W515 22.5 DIA PUSH BUTTON BLACK IDEAL
- W516 22.5 DIA PUSH BUTTON BLACK IDEAL WITH ELEMENT



- W517 22.5 DIA LUM.PUSH BUTTON 220VAC RED IDEAL
- W518 22.5 DIA LUM.PUSH BUTTON 220VAC AMBER IDEAL
- W519 22.5 DIA LUM.PUSH BUTTON 220VAC GREEN IDEAL
- W520 22.5 DIA LUM.PUSH BUTTON 24VDC RED IDEAL
- W521 22.5 DIA LUM.PUSH BUTTON 24VDC AMBER IDEAL
- W522 22.5 DIA LUM.PUSH BUTTON 24VDC GREEN IDEAL

- W523 22.5 DIA EMERGENCY TTR PUSH BUTTON IDEAL
- W524 22.5 DIA EMERGENCY TTR WITH ELEMENT IDEAL



- W525 22.5 DIA MUSHROOM PUSH BUTTON RED IDEAL
- W526 22.5 DIA MUSHROOM PUSH BUTTON RED WITH ELEMENT IDEAL
- W527 22.5 DIA MUSHROOM PUSH BUTTON GREEN IDEAL
- W528 22.5 DIA MUSHROOM PUSH BUTTON GREEN WITH ELEMENT IDEAL
- W529 22.5 DIA MUSHROOM PUSH BUTTON WITH KEY IDEAL
- W530 22.5 DIA MUSHROOM PUSH BUTTON WITH KEY& ELEMENT IDEAL

- W531 22.5 DIA 2 POS. SELECTOR MAINTAINED IDEAL
- W532 22.5 DIA 2 POS. SELECTOR MAINTAINED WITH ELEMENT IDEAL
- W533 22.5 DIA 2 POS. SELECTOR SPRING RETURN IDEAL
- W534 22.5 DIA 2 POS. SELECTOR SPRING RETURN WITH ELEMENT IDEAL



- W535 22.5 DIA 3 POS. SELECTOR MAINTAINED IDEAL
- W536 22.5 DIA 3 POS. SELECTOR MAINTAINED WITH 2 ELEMENTS IDEAL
- W537 22.5 DIA 3 POS. SELECTOR SPRING RETURN IDEAL
- W538 22.5 DIA 3 POS. SELECTOR SPRING RETURN WITH 2 ELEMENTS IDEAL
- W539 22.5 DIA 2 POS. KEY SELECTOR MAINTAINED IDEAL
- W540 22.5 DIA 2 POS. KEY SELECTOR MAINTAINED WITH ELEMENT IDEAL
- W541 22.5 DIA 3 POS. KEY SELECTOR MAINTAINED IDEAL
- W542 22.5 DIA 3 POS. KEY SELECTOR MAINTAINED WITH 2 ELEMENTS IDEAL
- W543 22.5 DIA TWIN PUSH BUTTON IDEAL
- W544 22.5 DIA TWIN PUSH BUTTON WITH INDICATOR IDEAL



ELEMENTS

- W545 ELEMENT-NO IDEAL
- W546 ELEMENT-NC IDEAL



16MM DIA LED INDICATORS

- W547 16 DIA LED INDICATOR 220VAC RED ID16-16 IDEAL
- W548 16 DIA LED INDICATOR 220VAC AMBER ID16-16 IDEAL
- W549 16 DIA LED INDICATOR 220VAC GREEN ID16-16 IDEAL
- W550 16 DIA LED INDICATOR 220VAC BLUE ID16-16 IDEAL
- W551 16 DIA LED INDICATOR 220VAC WHITE ID16-16 IDEAL



- W552 16 DIA LED INDICATOR 24VDC RED ID16-16 IDEAL
- W553 16 DIA LED INDICATOR 24VDC AMBER ID16-16 IDEAL
- W554 16 DIA LED INDICATOR 24VDC GREEN ID16-16 IDEAL
- W555 16 DIA LED INDICATOR 24VDC BLUE ID16-16 IDEAL
- W556 16 DIA LED INDICATOR 24VDC WHITE ID16-16 IDEAL

- W557 16 DIA LED INDICATOR 12VDC RED ID16-16 IDEAL
- W558 16 DIA LED INDICATOR 12VDC AMBER ID16-16 IDEAL
- W559 16 DIA LED INDICATOR 12VDC GREEN ID16-16 IDEAL
- W560 16 DIA LED INDICATOR 12VDC BLUE ID16-16 IDEAL
- W561 16 DIA LED INDICATOR 12VDC WHITE ID16-16 IDEAL



- W562 16 DIA LED INDICATOR 110VAC RED ID16-16 IDEAL
- W563 16 DIA LED INDICATOR 110VAC AMBER ID16-16 IDEAL
- W564 16 DIA LED INDICATOR 110VAC GREEN ID16-16 IDEAL
- W565 16 DIA LED INDICATOR 110VAC BLUE ID16-16 IDEAL
- W566 16 DIA LED INDICATOR 110VAC WHITE ID16-16 IDEAL

HEAVY DUTY CONNECTOR : HARTING TYPE

- W567 HD CONNECTOR 5 PIN BOTTOM OPEN IDEAL
- W568 HD CONNECTOR 5 PIN COUPLER TYPE IDEAL
- W569 HD CONNECTOR 6 PIN BOTTOM OPEN IDEAL
- W570 HD CONNECTOR 10 PIN BOTTOM OPEN IDEAL
- W571 HD CONNECTOR 16 PIN BOTTOM OPEN IDEAL
- W572 HD CONNECTOR 24 PIN BOTTOM OPEN IDEAL
- W573 HD CONNECTOR 32 PIN BOTTOM OPEN IDEAL
- W574 HD CONNECTOR 48 PIN BOTTOM OPEN IDEAL
- W575 HD CONNECTOR 6 PIN BOTTOM CLOSE IDEAL
- W576 HD CONNECTOR 10 PIN BOTTOM CLOSE IDEAL
- W577 HD CONNECTOR 16 PIN BOTTOM CLOSE IDEAL
- W578 HD CONNECTOR 24 PIN BOTTOM CLOSE IDEAL
- W579 HD CONNECTOR 6 PIN TOP ENTRY IDEAL
- W580 HD CONNECTOR 10 PIN TOP ENTRY IDEAL
- W581 HD CONNECTOR 16 PIN TOP ENTRY IDEAL
- W582 HD CONNECTOR 24 PIN TOP ENTRY IDEAL



ELECTRO MAGNETIC GENERAL RELAY FINDER TYPE 60.12 SERIES

- W583 RELAY 60.12.10A.8 PIN.6VAC IDEAL
- W584 RELAY 60.12.10A.8 PIN.12VAC IDEAL
- W585 RELAY 60.12.10A.8 PIN.24VAC IDEAL
- W586 RELAY 60.12.10A.8 PIN.110VAC IDEAL
- W587 RELAY 60.12.10A.8 PIN.220VAC IDEAL
- W588 RELAY 60.12.10A.8 PIN.6VDC IDEAL
- W589 RELAY 60.12.10A.8 PIN.12VDC IDEAL
- W590 RELAY 60.12.10A.8 PIN.24VDC IDEAL
- W591 RELAY 60.12.10A.8 PIN.110VDC IDEAL
- W592 RELAY 60.12.10A.8 PIN.220VDC IDEAL



ELECTRO MAGNETIC GENERAL RELAY FINDER TYPE 60.13 SERIES

- W593 RELAY 60.13.10A.11 PIN.6VAC IDEAL
- W594 RELAY 60.13.10A.11 PIN.12VAC IDEAL
- W595 RELAY 60.13.10A.11 PIN.24VAC IDEAL
- W596 RELAY 60.13.10A.11 PIN.110VAC IDEAL
- W597 RELAY 60.13.10A.11 PIN.220VAC IDEAL
- W598 RELAY 60.13.10A.11 PIN.6VDC IDEAL
- W599 RELAY 60.13.10A.11 PIN.12VDC IDEAL
- W600 RELAY 60.13.10A.11 PIN.24VDC IDEAL
- W601 RELAY 60.13.10A.11 PIN.110VDC IDEAL
- W602 RELAY 60.13.10A.11 PIN.220VDC IDEAL



ELECTRO MAGNETIC GENERAL RELAY FINDER TYPE 55.02 MINIATURE SERIES

- W603 RELAY 55.02.5A.8 PIN.6VAC IDEAL
- W604 RELAY 55.02.5A.8 PIN.12VAC IDEAL
- W605 RELAY 55.02.5A.8 PIN.24VAC IDEAL
- W606 RELAY 55.02.5A.8 PIN.-110VAC IDEAL
- W607 RELAY 55.02.5A.8 PIN.-220VAC IDEAL
- W608 RELAY 55.02.5A.8 PIN.6VDC IDEAL
- W609 RELAY 55.02.5A.8 PIN.12VDC IDEAL
- W610 RELAY 55.02.5A.8 PIN.24VDC IDEAL
- W611 RELAY 55.02.5A.8 PIN.110VDC IDEAL
- W612 RELAY 55.02.5A.8 PIN.220VDC IDEAL



ELECTRO MAGNETIC GENERAL RELAY FINDER TYPE 55.04 MINIATURE SERIES

- W613 RELAY 55.04.5A.14 PIN.6VAC IDEAL
- W614 RELAY 55.04.5A.14 PIN.12VAC IDEAL
- W615 RELAY 55.04.5A.14 PIN.24VAC IDEAL
- W616 RELAY 55.04.5A.14 PIN.110VAC IDEAL
- W617 RELAY 55.04.5A.14 PIN.220VAC IDEAL
- W618 RELAY 55.04.5A.14 PIN.6VDC IDEAL
- W619 RELAY 55.04.5A.14 PIN.12VDC IDEAL
- W620 RELAY 55.04.5A.14 PIN.24VDC IDEAL
- W621 RELAY 55.04.5A.14 PIN.110VDC IDEAL
- W622 RELAY 55.04.5A.14 PIN.220VDC IDEAL



MULTI LAYER TOWER LIGHT-BULB TYPE, 50MM DIA

- W623 1 TIER TOWER LIGHT 220VAC LTA-205 IDEAL
- W624 1 TIER TOWER LIGHT 110VAC LTA-205 IDEAL
- W625 1 TIER TOWER LIGHT 24VDC LTA-205 IDEAL
- W626 1 TIER TOWER LIGHT 12VDC LTA-205 IDEAL

- W627 1 TIER TOWER LIGHT WITH BUZZER 220VAC LTA-205J IDEAL
- W628 1 TIER TOWER LIGHT WITH BUZZER 110VAC LTA-205J IDEAL
- W629 1 TIER TOWER LIGHT WITH BUZZER 24VDC LTA-205J IDEAL
- W630 1 TIER TOWER LIGHT WITH BUZZER 12VDC LTA-205J IDEAL

- W631 2 TIER TOWER LIGHT 220VAC LTA-205 IDEAL
- W632 2 TIER TOWER LIGHT 110VAC LTA-205 IDEAL
- W633 2 TIER TOWER LIGHT 24VDC LTA-205 IDEAL
- W634 2 TIER TOWER LIGHT 12VDC LTA-205 IDEAL

- W635 2 TIER TOWER LIGHT WITH BUZZER 220VAC LTA-205J IDEAL
- W636 2 TIER TOWER LIGHT WITH BUZZER 110VAC LTA-205J IDEAL
- W637 2 TIER TOWER LIGHT WITH BUZZER 24VDC LTA-205J IDEAL
- W638 2 TIER TOWER LIGHT WITH BUZZER 12VDC LTA-205J IDEAL

- W639 3 TIER TOWER LIGHT 220VAC LTA-205 IDEAL
- W640 3 TIER TOWER LIGHT 110VAC LTA-205 IDEAL
- W641 3 TIER TOWER LIGHT 24VDC LTA-205 IDEAL
- W642 3 TIER TOWER LIGHT 12VDC LTA-205 IDEAL

- W643 3 TIER TOWER LIGHT WITH BUZZER 220VAC LTA-205J IDEAL
- W644 3 TIER TOWER LIGHT WITH BUZZER 110VAC LTA-205J IDEAL
- W645 3 TIER TOWER LIGHT WITH BUZZER 24VDC LTA-205J IDEAL
- W646 3 TIER TOWER LIGHT WITH BUZZER 12VDC LTA-205J IDEAL

- W647 4 TIER TOWER LIGHT 220VAC LTA-205 IDEAL
- W648 4 TIER TOWER LIGHT 110VAC LTA-205 IDEAL
- W649 4 TIER TOWER LIGHT 24VDC LTA-205 IDEAL
- W650 4 TIER TOWER LIGHT 12VDC LTA-205 IDEAL

- W651 4 TIER TOWER LIGHT WITH BUZZER 220VAC LTA-205J IDEAL
- W652 4 TIER TOWER LIGHT WITH BUZZER 110VAC LTA-205J IDEAL
- W653 4 TIER TOWER LIGHT WITH BUZZER 24VDC LTA-205J IDEAL
- W654 4 TIER TOWER LIGHT WITH BUZZER 12VDC LTA-205J IDEAL

- W655 5 TIER TOWER LIGHT 220VAC LTA-205 IDEAL
- W656 5 TIER TOWER LIGHT 110VAC LTA-205 IDEAL
- W657 5 TIER TOWER LIGHT 24VDC LTA-205 IDEAL
- W658 5 TIER TOWER LIGHT 12VDC LTA-205 IDEAL

- W659 5 TIER TOWER LIGHT WITH BUZZER 220VAC LTA-205J IDEAL
- W660 5 TIER TOWER LIGHT WITH BUZZER 110VAC LTA-205J IDEAL
- W661 5 TIER TOWER LIGHT WITH BUZZER 24VDC LTA-205J IDEAL
- W662 5 TIER TOWER LIGHT WITH BUZZER 12VDC LTA-205J IDEAL



MULTI LAYER TOWER LIGHT-LED TYPE

- W663 1 TIER LED TOWER LIGHT 220VAC LTE-205**
- W664 1 TIER LED TOWER LIGHT 110VAC LTE-205**
- W665 1 TIER LED TOWER LIGHT 24VDC LTE-205**
- W666 1 TIER LED TOWER LIGHT 12VDC LTE-205**

- W667 1 TIER LED TOWER LIGHT WITH BUZZER 220VAC LTE-205J**
- W668 1 TIER LED TOWER LIGHT WITH BUZZER 110VAC LTE-205J**
- W669 1 TIER LED TOWER LIGHT WITH BUZZER 24VDC LTE-205J**
- W670 1 TIER LED TOWER LIGHT WITH BUZZER 12VDC LTE-205J**

- W671 2 TIER LED TOWER LIGHT 220VAC LTE-205**
- W672 2 TIER LED TOWER LIGHT 110VAC LTE-205**
- W673 2 TIER LED TOWER LIGHT 24VDC LTE-205**
- W674 2 TIER LED TOWER LIGHT 12VDC LTE-205**

- W675 2 TIER LED TOWER LIGHT WITH BUZZER 220VAC LTE-205J**
- W676 2 TIER LED TOWER LIGHT WITH BUZZER 110VAC LTE-205J**
- W677 2 TIER LED TOWER LIGHT WITH BUZZER 24VDC LTE-205J**
- W678 2 TIER LED TOWER LIGHT WITH BUZZER 12VDC LTE-205J**


- W679 3 TIER LED TOWER LIGHT 220VAC LTE-205**
- W680 3 TIER LED TOWER LIGHT 110VAC LTE-205**
- W681 3 TIER LED TOWER LIGHT 24VDC LTE-205**
- W682 3 TIER LED TOWER LIGHT 12VDC LTE-205**

- W683 3 TIER LED TOWER LIGHT WITH BUZZER 220VAC LTE-205J**
- W684 3 TIER LED TOWER LIGHT WITH BUZZER 110VAC LTE-205J**
- W685 3 TIER LED TOWER LIGHT WITH BUZZER 24VDC LTE-205J**
- W686 3 TIER LED TOWER LIGHT WITH BUZZER 12VDC LTE-205J**

- W687 4 TIER LED TOWER LIGHT 220VAC LTE-205**
- W688 4 TIER LED TOWER LIGHT 110VAC LTE-205**
- W689 4 TIER LED TOWER LIGHT 24VDC LTE-205**
- W690 4 TIER LED TOWER LIGHT 12VDC LTE-205**

- W691 4 TIER LED TOWER LIGHT WITH BUZZER 220VAC LTE-205J**
- W692 4 TIER LED TOWER LIGHT WITH BUZZER 110VAC LTE-205J**
- W693 4 TIER LED TOWER LIGHT WITH BUZZER 24VDC LTE-205J**
- W694 4 TIER LED TOWER LIGHT WITH BUZZER 12VDC LTE-205J**

- W695 5 TIER LED TOWER LIGHT 220VAC LTE-205**
- W696 5 TIER LED TOWER LIGHT 110VAC LTE-205**
- W697 5 TIER LED TOWER LIGHT 24VDC LTE-205**
- W698 5 TIER LED TOWER LIGHT 12VDC LTE-205**



MULTI LAYER TOWER LIGHT-LED TYPE

- W699 5 TIER LED TOWER LIGHT WITH BUZZER 220VAC LTE-205J
- W700 5 TIER LED TOWER LIGHT WITH BUZZER 110VAC LTE-205J
- W701 5 TIER LED TOWER LIGHT WITH BUZZER 24VDC LTE-205J
- W702 5 TIER LED TOWER LIGHT WITH BUZZER 12VDC LTE-205J

REVOLVING LIGHT--BULB TYPE

- W703 REVOLVING LAMP RED 220VAC ID-1101 IDEAL
- W704 REVOLVING LAMP AMBER 220VAC ID-1101 IDEAL
- W705 REVOLVING LAMP GREEN 220VAC ID -1101 IDEAL
- W706 REVOLVING LAMP BLUE 220VAC ID-1101 IDEAL

- W707 REVOLVING LAMP WITH BUZZER RED 220VAC ID-1101J IDEAL
- W708 REVOLVING LAMP WITH BUZZER AMBER 220VAC ID-1101J IDEAL
- W709 REVOLVING LAMP WITH BUZZER GREEN 220VAC ID-1101J IDEAL
- W710 REVOLVING LAMP WITH BUZZER BLUE 220VAC ID-1101J IDEAL

- W711 REVOLVING LAMP RED 110VAC ID-1101 IDEAL
- W712 REVOLVING LAMP AMBER 110VAC ID-1101 IDEAL
- W713 REVOLVING LAMP GREEN 110VAC ID-1101 IDEAL
- W714 REVOLVING LAMP BLUE 110VAC ID-1101 IDEAL

- W715 REVOLVING LAMP WITH BUZZER RED 110VAC ID-1101J IDEAL
- W716 REVOLVING LAMP WITH BUZZER AMBER 110VAC ID-1101J IDEAL
- W717 REVOLVING LAMP WITH BUZZER GREEN 110VAC ID-1101J IDEAL
- W718 REVOLVING LAMP WITH BUZZER BLUE 110VAC ID-1101J IDEAL

- W719 REVOLVING LAMP RED 24VDC ID-1101 IDEAL
- W720 REVOLVING LAMP AMBER 24VDC ID-1101 IDEAL
- W721 REVOLVING LAMP GREEN 24VDC ID-1101 IDEAL
- W722 REVOLVING LAMP BLUE 24VDC ID-1101 IDEAL

- W723 REVOLVING LAMP WITH BUZZER RED 24VDC ID-1101J IDEAL
- W724 REVOLVING LAMP WITH BUZZER AMBER 24VDC ID-1101J IDEAL
- W725 REVOLVING LAMP WITH BUZZER GREEN 24VDC ID-1101J IDEAL
- W726 REVOLVING LAMP WITH BUZZER BLUE 24VDC ID-1101J IDEAL

- W727 REVOLVING LAMP RED 12VDC ID-1101 IDEAL
- W728 REVOLVING LAMP AMBER 12VDC ID-1101 IDEAL
- W729 REVOLVING LAMP GREEN 12VDC ID-1101 IDEAL
- W730 REVOLVING LAMP BLUE 12VDC ID-1101 IDEAL

- W731 REVOLVING LAMP WITH BUZZER RED 12VDC ID-1101J IDEAL
- W732 REVOLVING LAMP WITH BUZZER AMBER 12VDC ID-1101J IDEAL
- W733 REVOLVING LAMP WITH BUZZER GREEN 12VDC ID-1101J IDEAL
- W734 REVOLVING LAMP WITH BUZZER BLUE 12VDC ID-1101J IDEAL



MINI BLINKING LIGHT--BULB TYPE

- W735 MINI BLINKING LAMP RED 220VAC ID- 2071 IDEAL
- W736 MINI BLINKING LAMP AMBER 220VAC ID- 2071 IDEAL
- W737 MINI BLINKING LAMP GREEN 220VAC ID- 2071 IDEAL
- W738 MINI BLINKING LAMP BLUE 220VAC ID- 2071 IDEAL
- W739 MINI BLINKING LAMP RED 24VDC ID- 2071 IDEAL
- W740 MINI BLINKING LAMP AMBER 24VDC ID- 2071 IDEAL
- W741 MINI BLINKING LAMP GREEN 24VDC ID- 2071 IDEAL
- W742 MINI BLINKING LAMP BLUE 24VDC ID- 2071 IDEAL



MINI BLINKING LIGHT--BULB TYPE

- W743 MINI BLINKING LAMP WITH BUZZER RED 220VAC ID- 2071J IDEAL
- W744 MINI BLINKING LAMP WITH BUZZER AMBER 220VAC ID- 2071J IDEAL
- W745 MINI BLINKING LAMP WITH BUZZER GREEN 220VAC ID- 2071J IDEAL
- W746 MINI BLINKING LAMP WITH BUZZER BLUE 220VAC ID- 2071J IDEAL
- W747 MINI BLINKING LAMP WITH BUZZER RED 24VDC ID- 2071J IDEAL
- W748 MINI BLINKING LAMP WITH BUZZER AMBER 24VDC ID- 2071J IDEAL
- W749 MINI BLINKING LAMP WITH BUZZER GREEN 24VDC ID- 2071J IDEAL
- W750 MINI BLINKING LAMP WITH BUZZER BLUE 24VDC ID- 2071J IDEAL



REVOLVING LIGHT-LED TYPE

- W751 REVOLVING LAMP LED RED 220VAC LTE-1101 IDEAL
- W752 REVOLVING LAMP LED AMBER 220VAC LTE-1101 IDEAL
- W753 REVOLVING LAMP LED GREEN 220VAC LTE-1101 IDEAL
- W754 REVOLVING LAMP LED BLUE 220VAC LTE-1101 IDEAL

BLINKING LIGHT LED TYPE LTD-107

- W755
- W756

BLINKING LIGHT LED TYPE LTD-5101

- W757 BLINKING LAMP LED RED 220VAC LTE-5101
- W758 BLINKING LAMP LED GREEN 220VAC LTE-5101
- W759 BLINKING LAMP LED AMBER 220VAC LTE-5101
- W760 BLINKING LAMP LED BLUE 220VAC LTE-5101

BLINKING LIGHT LED TYPE LTD-5101

- W761 BLINKING LAMP LED WITH BUZZER RED 220VAC LTE-5101J
- W762 BLINKING LAMP LED WITH BUZZER AMBER 220VAC LTE-5101J
- W763 BLINKING LAMP LED WITH BUZZER GREEN 220VAC LTE-5101J
- W764 BLINKING LAMP LED WITH BUZZER BLUE 220VAC LTE-5101J

- W765 BLINKING LAMP LED RED 24VDC LTE-5101
- W766 BLINKING LAMP LED GREEN 24VDC LTE-5101
- W767 BLINKING LAMP LED AMBER 24VDC LTE-5101
- W768 BLINKING LAMP LED BLUE 24VDC LTE-5101

BLINKING LIGHT LED TYPE LTD-5101

- W769 BLINKING LAMP LED WITH BUZZER RED 24VDC LTE-5101J
- W770 BLINKING LAMP LED WITH BUZZER AMBER 24VDC LTE-5101J
- W771 BLINKING LAMP LED WITH BUZZER GREEN 24VDC LTE-5101J
- W772 BLINKING LAMP LED WITH BUZZER BLUE 24VDC LTE-5101J

SPARE BULB

- W773 SPARE BULB FOR REVOLVING LIGHT 220VAC
- W774 SPARE BULB FOR REVOLVING LIGHT 24VDC

- W775 SPARE BULB FOR TOWER LIGHT 220VAC
- W776 SPARE BULB FOR TOWER LIGHT 24VDC

BOOTED LUGS PRICES FOR 1000NOS.

- W777 BOOTED LUGS 0.5-8MM-OR
- W778 BOOTED LUGS 0.5-10MM-OR
- W779 BOOTED LUGS 0.5-8MM-WH
- W780 BOOTED LUGS 0.5-10MM-WH

- W781 BOOTED LUGS 0.75-8MM BL
- W782 BOOTED LUGS 0.75-8MM GY

- W783 BOOTED LUGS 1.0-8MM R
- W784 BOOTED LUGS 1.0-10MM R
- W785 BOOTED LUGS 1.0-8 MM Y
- W786 BOOTED LUGS 1.0-10MM Y

- W787 BOOTED LUGS 1.5-8MM BK
- W788 BOOTED LUGS 1.5-8MM R
- W789 BOOTED LUGS 1.5-10MM BK
- W790 BOOTED LUGS 1.5-10MM R

- W791 BOOTED LUGS 2.5-8 MM BL
- W792 BOOTED LUGS 2.5-8 MM GY
- W793 BOOTED LUGS 2.5-10 MM BL
- W794 BOOTED LUGS 2.5-10 MM GY

- W795 BOOTED LUGS 4.0-10 MM OR
- W796 BOOTED LUGS 4.0-10 MM GY
- W797 BOOTED LUGS 4.0-12 MM OR
- W798 BOOTED LUGS 4.0-12 MM GY

- W799 BOOTED LUGS 6.0-10 MM Y
- W800 BOOTED LUGS 6.0-12 MM G
- W801 BOOTED LUGS 6.0-12 MM Y
- W802 BOOTED LUGS 6.0-12 MM G



BOOTED LUGS PRICES FOR 1000NOS.

W803 BOOTED LUGS 10.0-12 MM R
W804 BOOTED LUGS 10.0-12MM BR
W805 BOOTED LUGS 10.0-18 MM R
W806 BOOTED LUGS 10.0-18 MM BR

W807 BOOTED LUGS 16.0-12 MM BL
W808 BOOTED LUGS 16.0-12 MM G
W809 BOOTED LUGS 16.0-12 MM WH
W810 BOOTED LUGS 16.0-15 MM BL
W811 BOOTED LUGS 16.0-15 MM G
W812 BOOTED LUGS 16.0-15 MM WH

W813 BOOTED LUGS 25.0-16 MM Y
W814 BOOTED LUGS 25.0-16 MM BK

W815 BOOTED LUGS 35.0-16MM RED

W816 BOOTED LUGS 50.0-20 MM BL
W817 BOOTED LUGS 50.0-20 MM BK



BOOTED LUGS TWIN PRICES FOR 1000NOS

W818 BOOTED LUGS TWIN 0.5-8MM-WH
W819 BOOTED LUGS TWIN 0.5-10MM-WH
W820 BOOTED LUGS TWIN 0.75-8 MM BL
W821 BOOTED LUGS TWIN 0.75-8 MM GY
W822 BOOTED LUGS TWIN 0.75-10 MM BL
W823 BOOTED LUGS TWIN 0.75-10 MM GY
W824 BOOTED LUGS TWIN 1.0-8 MM RED
W825 BOOTED LUGS TWIN 1.0-10 MM RED
W826 BOOTED LUGS TWIN 1.5-8 MM BLACK
W827 BOOTED LUGS TWIN 1.5-10 MM BLACK
W828 BOOTED LUGS TWIN 2.5-8 MM BLUE
W829 BOOTED LUGS TWIN 2.5-10 MM BLUE
W830 BOOTED LUGS TWIN 4.0-12 MM GY
W831 BOOTED LUGS TWIN 4.0-12 MM OR
W832 BOOTED LUGS TWIN 6.0- 14 MM YELLOW
W833 BOOTED LUGS TWIN 10.0-14 MM RED
W834 BOOTED LUGS TWIN 16.0-14 MM BLUE



END TERMINALS (SNAP ON LUGS)PRICES FOR 1000NOS.

W835 SNAP ON LUGS 2.8
W836 SNAP ON LUGS 4.8
W837 SNAP ON LUGS 6.3

CRIMPING TOOLS FOR BOOTED LUGS

W838 CRIMPING TOOL FOR BOOTED LUGS LX-06 WF (0.25-6MM²)
W839 CRIMPING TOOL FOR BOOTED LUGS HS-16WF (6.0-16MM²)
W840 CRIMPING TOOL FOR BOOTED LUGS 4-SIDED HSC8-6-4 (0.25-6MM²)
W841 CRIMPING TOOL FOR BOOTED LUGS HSC8-16-4(6.0-16MM²)



CRIMPING TOOLS FOR NON INSULATED:

- W842 CRIMPING TOOL FOR NON INSULATED HS-10 (1.25-6MM²)
- W843 CRIMPING TOOL FOR NON INSULATED HS-101 (1.25-10MM²)
- W844 CRIMPING TOOL HX -30J
- W845 CRIMPING TOOL HX - 50B
- W846 CRIMPING TOOL HX-150B
- W847 CRIMPING TOOL HX-240B

PORCELIN FUSE (6.3 X 31.5)

- W848 FUSE LINK6.3X31.5MM 0.5A
- W849 FUSE LINK6.3X31.5MM 1A
- W850 FUSE LINK6.3X31.5MM 2A
- W851 FUSE LINK6.3X31.5MM3A
- W852 FUSE LINK6.3X31.5MM4A
- W853 FUSE LINK6.3X31.5MM5A
- W854 FUSE LINK6.3X31.5MM6A
- W855 FUSE LINK6.3X31.5MM7A
- W856 FUSE LINK6.3X31.5MM8A
- W857 FUSE LINK6.3X31.5MM10A
- W858 FUSE LINK6.3X31.5MM12A
- W859 FUSE LINK6.3X31.5MM14A
- W860 FUSE LINK6.3X31.5MM16A
- W861 FUSE LINK6.3X31.5MM18A
- W862 FUSE LINK6.3X31.5MM20A

PORCELIN FUSE (8.3 X 31.5)

- W863 FUSE LINK8.3X31.5MM0.5A
- W864 FUSE LINK8.3X31.5MM1A
- W865 FUSE LINK8.3X31.5MM2A
- W866 FUSE LINK8.3X31.5MM3A
- W867 FUSE LINK8.3X31.5MM4A
- W868 FUSE LINK8.3X31.5MM6A
- W869 FUSE LINK8.3X31.5MM8A
- W870 FUSE LINK8.3X31.5MM10A
- W871 FUSE LINK8.3X31.5MM12A
- W872 FUSE LINK8.3X31.5MM14A
- W873 FUSE LINK8.3X31.5MM16A
- W874 FUSE LINK8.3X31.5MM18A
- W875 FUSE LINK8.3X31.5MM20A

PORCELIN FUSE (10 X 38)

W876 FUSE LINK 10X38 MM0.5A
W877 FUSE LINK 10X38 MM1A
W878 FUSE LINK 10X38 MM2A
W879 FUSE LINK 10X38 MM3A
W880 FUSE LINK 10X38 MM4A
W881 FUSE LINK 10X38 MM5A
W882 FUSE LINK 10X38 MM6A
W883 FUSE LINK 10X38 MM7A
W884 FUSE LINK 10X38 MM8A
W885 FUSE LINK 10X38 MM10A
W886 FUSE LINK 10X38 MM12A
W887 FUSE LINK 10X38 MM14A
W888 FUSE LINK 10X38 MM16A
W889 FUSE LINK 10X38 MM18A
W890 FUSE LINK 10X38 MM20A
W891 FUSE LINK 10X38 MM25A
W892 FUSE LINK 10X38 MM32A

PORCELIN FUSE (14 X 51)

W893 FUSE LINK 14X51 MM2A
W894 FUSE LINK 14X51 MM4A
W895 FUSE LINK 14X51 MM6A
W896 FUSE LINK 14X51 MM10A
W897 FUSE LINK 14X51 MM16A
W898 FUSE LINK 14X51 MM20A
W899 FUSE LINK 14X51 MM25A
W900 FUSE LINK 14X51 MM32A
W901 FUSE LINK 14X51 MM40A
W902 FUSE LINK 14X51 MM50A
W903 FUSE LINK 14X51 MM63A

PORCELIN FUSE (22X 58)

W904 FUSE LINK 22 X 58 MM20A
W905 FUSE LINK 22 X 58 MM25A
W906 FUSE LINK 22 X 58 MM32A
W907 FUSE LINK 22 X 58 MM40A
W908 FUSE LINK 22 X 58 MM50A
W909 FUSE LINK 22 X 58 MM63A
W910 FUSE LINK 22 X 58 MM80A
W911 FUSE LINK 22 X 58 MM100A
W912 FUSE LINK 22 X 58 MM125A

BOTTLE FUSE (RO-21)

W913 FUSE LINK RO-21 BOTTLE 2A
W914 FUSE LINK RO-21 BOTTLE 4A
W915 FUSE LINK RO-21 BOTTLE 6A
W916 FUSE LINK RO-21 BOTTLE 8A
W917 FUSE LINK RO-21 BOTTLE 10A
W918 FUSE LINK RO-21 BOTTLE 16A
W919 FUSE LINK RO-21 BOTTLE 20A
W920 FUSE LINK RO-21 BOTTLE 25A

BOTTLE FUSE (RO-22) PENSIL TYPE

- W921 FUSE LINK RO-22 BOTTLE 35A
- W922 FUSE LINK RO-22 BOTTLE 40A
- W923 FUSE LINK RO-22 BOTTLE 50A
- W924 FUSE LINK RO-22 BOTTLE 63A

BOTTLE FUSE (RO-24)

- W925 FUSE LINK RO-24 PENCIL 2A
- W926 FUSE LINK RO-24 PENCIL 4A
- W927 FUSE LINK RO-24 PENCIL 6A
- W928 FUSE LINK RO-24 PENCIL 10A
- W929 FUSE LINK RO-24 PENCIL 16A
- W930 FUSE LINK RO-24 PENCIL 20A
- W931 FUSE LINK RO-24 PENCIL 25A

BOTTLE FUSE (RO-24)

- W932 FUSE LINK RO-26 (DO-1)
- W933 FUSE LINK RO-26 (DO-2)

PORCEL IN FUSE HOLDER

- W934 10X38-1 POLE HOLDER
- W935 10X38-3 POLE HOLDER
- W936 14X51- 1 POLE HOLDER
- W937 14X51 -3 POLE HOLDER
- W938 22*58-1 POLE HOLDER

THERMOPLASTIC CABLE JUNCTION BOXES(HENSEL TYPE)

- W939 ID 9020Z 88X88X53 JUNCTION BOX
- W940 ID 9040Z 98X98X61 JUNCTION BOX
- W941 ID 9060Z 139X119X70 JUNCTION BOX
- W942 ID 9100Z 167X125X82 JUNCTION BOX
- W943 ID 9250Z 200X160X98 JUNCTION BOX



THERMOPLASTIC CABLE JUNCTION BOXES WITH CONNECTOR :

- W944 ID 9025Z WITH CON.88X88X53 JUNCTION BOX
- W945 ID 9045Z WITH CON.98X98X61 JUNCTION BOX
- W946 ID 9065Z WITH CON.139X119X70 JUNCTION BOX
- W947 ID 9105Z WITH CON.167X125X82 JUNCTION BOX
- W948 ID 9255Z WITH CON.200X160X98 JUNCTION BOX
- W949 ABS ENCLOSURE 4 POLE MCB MOUNTING WITH 32A.5 PIN.SOCKET
MODEL NO.56CB
- W950 ISOLATOR SWITCH WITH 32A.5 PIN SOCKET IN ABS ENCLOSURE
MODEL NO.56CV
- W951 DISCONNECTOR SWITCH WITH ENCLOSURE ID-P01.32AMPS.3POLE
- W952 DISCONNECTOR SWITCH WITH ENCLOSURE ID-P02.50AMPS.3POLE
- W953 DISCONNECTOR SWITCH WITH ENCLOSURE ID-P03.63AMPS.3POLE
- W954 DISCONNECTOR SWITCH WITH ENCLOSURE ID-P05.100AMPS.3POLE



SOLENOID COIL-220VAC (CONTINUOUS RATING)

- W955 SOLENOID COIL-ID 02 SA0.2 KGS
- W956 SOLENOID COIL-ID 992 SA0.5 KGS
- W957 SOLENOID COIL-ID 2402 SA0.75 KGS
- W958 SOLENOID COIL-ID 2402 SA1.00 KGS
- W959 SOLENOID COIL-ID 2502 SA1.50 KGS
- W960 SOLENOID COIL-ID 2602 SA2.00 KGS
- W961 SOLENOID COIL-ID 3502 SA3.00 KGS
- W962 SOLENOID COIL-ID 3602 SA4.00 KGS
- W963 SOLENOID COIL-ID 3702 SA5.00 KGS
- W964 SOLENOID COIL-ID 4602 SA8.00 KGS
- W965 SOLENOID COIL-IDQ-52 SA10.00 KGS
- W966 SOLENOID COIL-IDQ-56 SA12.00 KGS



SIRENS

- W967 MS-190-12VDC SIREN
- W968 MS-190-24VDC SIREN
- W969 MS-190-110VAC SIREN
- W970 MS-190-220V SIREN

- W971 MS-290-12VDC SIREN
- W972 MS-290-24VDC SIREN
- W973 MS-290-110VAC SIREN
- W974 MS-290-220V SIREN



30.5Ø BUZZER

- W975
- W976
- W977



72MM² BUZZER

- W978 72*72 MM BUZZER 24VVDC
- W979 72*72 MM BUZZER 110VAC
- W980 72*72 MM BUZZER220VAC



POWER CONTACTOR

- W981 CONTACTOR ID-1-09 (1NO+1NC) 220VAC
- W982 CONTACTOR ID-1-09 (1NO+1NC) 110VAC
- W983 CONTACTOR ID-1-09 (1NO+1NC) 24VDC
- W984 CONTACTOR ID-1-09 (1NO+1NC) 24VAC
- W985 CONTACTOR ID-1-09 (1NO+1NC) 415VAC

- W986 CONTACTOR ID-1-12 (1NO+1NC) 220VAC
- W987 CONTACTOR ID-1-12 (1NO+1NC) 110VAC
- W988 CONTACTOR ID-1-12 (1NO+1NC) 24VDC
- W989 CONTACTOR ID-1-12 (1NO+1NC) 24VAC
- W990 CONTACTOR ID-1-12 (1NO+1NC) 415VAC

POWER CONTACTOR

- W991 CONTACTOR ID-1-18 (1NO+1NC) 220VAC
- W992 CONTACTOR ID-1-18 (1NO+1NC) 110VAC
- W993 CONTACTOR ID-1-18 (1NO+1NC) 24VDC
- W994 CONTACTOR ID-1-18 (1NO+1NC) 24VAC
- W995 CONTACTOR ID-1-18 (1NO+1NC) 415VAC

- W996 CONTACTOR ID-1-22 (1NO+1NC) 220VAC
- W997 CONTACTOR ID-1-22 (1NO+1NC) 110VAC
- W998 CONTACTOR ID-1-22 (1NO+1NC) 24VDC
- W999 CONTACTOR ID-1-22 (1NO+1NC) 24VAC
- W1000 CONTACTOR ID-1-22 (1NO+1NC) 415VAC

- W1001 CONTACTOR ID-1-32 (2NO+2NC) 220VAC
- W1002 CONTACTOR ID-1-32 (2NO+2NC) 110VAC
- W1003 CONTACTOR ID-1-32 (2NO+2NC) 24VDC
- W1004 CONTACTOR ID-1-32 (2NO+2NC) 24VAC
- W1005 CONTACTOR ID-1-32 (2NO+2NC) 415VAC

- W1006 CONTACTOR ID-1-40 (2NO+2NC) 220VAC
- W1007 CONTACTOR ID-1-40 (2NO+2NC) 110VAC
- W1008 CONTACTOR ID-1-40 (2NO+2NC) 24VDC
- W1009 CONTACTOR ID-1-40 (2NO+2NC) 24VAC
- W1010 CONTACTOR ID-1-40 (2NO+2NC) 415VAC

- W1011 CONTACTOR ID-1-50 (2NO+2NC) 220VAC
- W1012 CONTACTOR ID-1-50 (2NO+2NC) 110VAC
- W1013 CONTACTOR ID-1-50 (2NO+2NC) 24VDC
- W1014 CONTACTOR ID-1-50 (2NO+2NC) 24VAC
- W1015 CONTACTOR ID-1-50 (2NO+2NC) 415VAC

- W1016 CONTACTOR ID-1-65 (2NO+2NC) 220VAC
- W1017 CONTACTOR ID-1-65 (2NO+2NC) 110VAC
- W1018 CONTACTOR ID-1-65 (2NO+2NC) 24VDC
- W1019 CONTACTOR ID-1-65 (2NO+2NC) 24VAC
- W1020 CONTACTOR ID-1-65 (2NO+2NC) 415VAC

- W1021 CONTACTOR ID-1-85 (2NO+2NC) 220VAC
- W1022 CONTACTOR ID-1-85 (2NO+2NC) 110VAC
- W1023 CONTACTOR ID-1-85 (2NO+2NC) 24VDC
- W1024 CONTACTOR ID-1-85 (2NO+2NC) 24VAC
- W1025 CONTACTOR ID-1-85 (2NO+2NC) 415VAC

- W1026 CONTACTOR ID-1-125 (2NO+2NC) 220VAC
- W1027 CONTACTOR ID-1-125 (2NO+2NC) 110VAC
- W1028 CONTACTOR ID-1-125 (2NO+2NC) 24VDC
- W1029 CONTACTOR ID-1-125 (2NO+2NC) 24VAC
- W1030 CONTACTOR ID-1-125 (2NO+2NC) 415VAC



AUXILLARY CONTACTOR

- W1031 CONTACTOR AUXILLARY 2NO+2NC.220VAC
- W1032 CONTACTOR AUXILLARY 2NO+2NC.24VDC

MINI POWER CONTACTOR

- W1033 CONTACTOR MINI POWER ID-1-12M 12 AMPS.220VAC
- W1034 CONTACTOR MINI POWER ID-1-16M 16 AMPS.220VAC

ADD-ON BLOCK FOR CONTACTORS

- W1035 ADD-ON BLOCK 1NO+1NC.AU-2
- W1036 ADD-ON BLOCK 2NO+2NC.AU-4

- W1037 CONTACTOR BLOCK FOR CAPACITIVE UPTO 22AMPS

SPARE CONTACTOR COIL

- W1038 SPARE COIL 220VAC UPTO 40A
- W1039 SPARE COIL 110VAC UPTO 40A
- W1040 SPARE COIL 24VDC UPTO 40A
- W1041 SPARE COIL 24VAC UPTO 40A
- W1042 SPARE COIL 415VAC UPTO 40A
- W1043 SPARE COIL 220VAC 50-80A
- W1044 SPARE COIL 110VAC 50-80A
- W1045 SPARE COIL 24VDC 50-80A
- W1046 SPARE COIL 24VAC 50-80A
- W1047 SPARE COIL 415VAC 50-80A

THERMAL OVERLOAD RELAY:

- W1048 OLR-22/3-0.63-1
- W1049 OLR-22/3-1-1.6
- W1050 OLR-22/3-1.6-2.5
- W1051 OLR-22/3-2.5-4
- W1052 OLR-22/3-4-6
- W1053 OLR-22/3-5-8
- W1054 OLR-22/3-7-10
- W1055 OLR-22/3-9-13
- W1056 OLR-22/3-12-18
- W1057 OLR-22/3-16-22

- W1058 OLR-40/3-18-26
- W1059 OLR-40/3-24-36
- W1060 OLR-40/3-28-40

- W1061 OLR-85/3-34-50
- W1062 OLR-85/3-45-65



ROCKER SWITCH

- W1063
- W1064
- W1065
- W1066 ROCKER SWITCH 16A-4 PIN -BLUE

- W1067 ROCKER SWITCH 16A-6 PIN-RED
- W1068 ROCKER SWITCH 16A-6 PIN-YELLOW
- W1069 ROCKER SWITCH 16A-6 PIN-GREEN
- W1070 ROCKER SWITCH 16A-6 PIN-BLUE



- W1071
- W1072
- W1073
- W1074

FOOT SWITCH

- W1075 FOOT SWITCH FS-1 PVC
- W1076 FOOT SWITCH FS-1 (METAL)
- W1077 FOOT SWITCH FS-2
- W1078 FOOT SWITCH FS-3
- W1079 FOOT SWITCH TSF/VSF-201
- W1080 FOOT SWITCH TFS-302 METAL WITH GUARD
- W1081 FOOT SWITCH LTH-1/6
- W1082 FOOT SWITCH ID-13H (PVC)
- W1083 FOOT SWITCH YOY-1-15 (TWIN)



JOY STICK /MONO LEVER SWITCH:

- W1084 JOY STICK 30.5MM-2P-MA(MAINTAINED)
- W1085 JOY STICK 30.5MM-2P-MO(SPRING RETURN)
- W1086 JOY STICK 30.5MM-4P-MA(MAINTAINED)
- W1087 JOY STICK 30.5MM-4P-MO(SPRING RETURN)
- W1088 JOY STICK 22.5MM-2P-MA(MAINTAINED)
- W1089 JOY STICK 22.5MM-2P-MO(SPRING RETURN)
- W1090 JOY STICK 22.5MM-4P-MA(MAINTAINED)
- W1091 JOY STICK 22.5MM-4P-MO(SPRING RETURN)



HOIST PUSH BUTTON--COB SERIES:

- W1092
- W1093
- W1094
- W1095
- W1096

- W1097
- W1098
- W1099
- W1100

HOIST PUSH BUTTON--TC TYPE:

- W1101 HOIST PUSH BUTTON TC TYPE 2WAY-ID-271
- W1102 HOIST PUSH BUTTON TC TYPE 4WAY-ID-471
- W1103 HOIST PUSH BUTTON TC TYPE 6WAY-ID-671
- W1104 HOIST PUSH BUTTON TC TYPE 8WAY-ID-871

- W1105 HOIST PUSH BUTTON TC TYPE 2WAY WITH EMERGENCY-ID-2713
- W1106 HOIST PUSH BUTTON TC TYPE 4WAY WITH EMERGENCY-ID-4713
- W1107 HOIST PUSH BUTTON TC TYPE 6WAY WITH EMERGENCY-ID-6713

MICRO SWITCHES-Z-15 TYPE

- W1108 MICRO SWITCH ID-GW22B TEFLON
- W1109 MICRO SWITCH ID-GW22B METAL
- W1110 MICRO SWITCH ID-GW21B
- W1111 MICRO SWITCH ID-GW2B
- W1112 MICRO SWITCH ID-GWB
- W1113 MICRO SWITCH ID-GSB
- W1114 MICRO SWITCH ID-GDB
- W1115 MICRO SWITCH ID-GB
- W1116 MICRO SWITCH ID-GQ21B
- W1117 MICRO SWITCH ID GQ22B
- W1118 MICRO SWITCH ID-GQB
- W1119 MICRO SWITCH ID-GW2277B
- W1120 MICRO SWITCH ID-GW24B
- W1121 MICRO SWITCH ID-HW78B



MICRO SWITCHES-D4MC TYPE

- W1122 MICRO SWITCH ID-1000 HINGE LEVER
- W1123 MICRO SWITCH ID-1021
- W1124 MICRO SWITCH ID-2000 HINGE ROLLER LEVER
- W1125 MICRO SWITCH ID-2020 SHORT HINGE ROLLER LEVER
- W1126 MICRO SWITCH ID-3000
- W1127 MICRO SWITCH ID-3030
- W1128 MICRO SWITCH ID-5000 PANEL MOUNT PLUNGER
- W1129 MICRO SWITCH ID-5020 PANEL MOUNT ROLLER PLUNGER
- W1130 MICRO SWITCH ID-5040 PANEL MOUNT CROSS ROLLER PLUNGER



MINI MICRO SWITCHES - K25 SERIES

- W1131 MICRO SWITCH ID-15-K25
- W1132 MICRO SWITCH ID-151-K25
- W1133 MICRO SWITCH ID-152-K25
- W1134 MICRO SWITCH ID-153-K25
- W1135 MICRO SWITCH ID-155-K25
- W1136 MICRO SWITCH ID-156-K25
- W1137 MICRO SWITCH ID-157-K25

LIMIT SWITCHES:

SIMILAR TO MOUJEN TYPE

- W1138 LIMIT SWITCH ID-8104 SIDE ROTARY LEVER
- W1139 LIMIT SWITCH ID-8107 ADJUSTABLE LEVER
- W1140 LIMIT SWITCH ID- 8108 SIDE ROTARY WITH ADJUSTABLE LEVER
- W1141 LIMIT SWITCH ID- 8111 PUSH ROD
- W1142 LIMIT SWITCH ID- 8112 TOP ROLLER VERTICAL
- W1143 LIMIT SWITCH ID- 8122 TOP LEVER HORIZONTAL
- W1144 LIMIT SWITCH ID- 8166 CAT WHISKER PLASTIC
- W1145 LIMIT SWITCH ID- 8167 CAT WHISKER SPRING
- W1146 LIMIT SWITCH ID- 8169 CAT WHISKER NEEDLE



LIMIT SWITCHES:

SIMILAR TO OMRON/HONEYWELL / JAIBALAJI/BCH TYPE

- W1147 LIMIT SWITCH IDCA2-2.SIDE ROLLER LEVER.LL1
- W1148 LIMIT SWITCH IDCA12-2-Q.ADJ.LEVER.LLA
- W1149 LIMIT SWITCH IDD2.TOP PLUNGER ROLLER.LTPR
- W1150 LIMIT SWITCH IDD.PUSH ROD TYPE PLUNGER PLAIN.LSPR
- W1151 LIMIT SWITCH IDNJ-30.MOUSE TYPE (COIL SPRING 5.0 Ø)
- W1152 LIMIT SWITCH IDNJ.CAT WHISKER (COIL SPRING 6.0 Ø)
- W1153 LIMIT SWITCH IDNJ-2/S2.CAT WHISKER
- W1154 LIMIT SWITCH IDN-WLCL.ADJUSTABLE LEVER ROD



SIMILAR TO SCHNIEDER/TC TYPE:

- W1155 LIMIT SWITCH XCKP ID -101 PUSH ROD
- W1156 LIMIT SWITCH XCKP ID -103 TOP ROLLER VERTICAL
- W1157 LIMIT SWITCH XCKP ID -111 NORMAL ROLLER
- W1158 LIMIT SWITCH XCKP ID -121 SIDE ROLLER
- W1159 LIMIT SWITCH XCKP ID-127 ANGULAR ROLLER
- W1160 LIMIT SWITCH XCKP ID -131 ADJUSTABLE ROLLER
- W1161 LIMIT SWITCH XCKP ID -161 CAT WHISKER
- W1162 LIMIT SWITCH XCKP ID -171 CAT WHISKER
- W1163 LIMIT SWITCH XCKP ID -181 CAT WHISKER
- W1164 LIMIT SWITCH XCKP ID-4C-3202 WIRE TYPE



- W1165 SPARE LEVER LL1/LLA
- W1166 CONTACT BLOCK IDWL

INSTRUMENTAL AXIAL COOLING FAN:

- W1167
- W1168
- W1169
- W1170
- W1171
- W1172
- W1173
- W1174
- W1175



INSTRUMENTAL AXIAL COOLING FAN

- W1176
- W1177
- W1178
- W1179
- W1180 AXIAL FAN ID 10825A2,108*108*25,110VAC
- W1181 AXIAL FAN ID 10825A2,108*108*25,220VAC



- W1182
- W1183
- W1184
- W1185
- W1186
- W1187
- W1188
- W1189



- W1190
- W1191
- W1192
- W1193
- W1194
- W1195
- W1196
- W1197



- W1198
- W1199
- W1200
- W1201
- W1202
- W1203
- W1204



DIGITAL METERS:

- W1205 DIGITAL AMMETER- 48*96
- W1206 DIGITAL AMMETER- 96*96
- W1207 DIGITAL VOLTMETER- 48*96
- W1208 DIGITAL VOLTMETER- 96*96
- W1209 FREQUENCY METER- 48*96
- W1210 FREQUENCY METER-96*96
- W1211 HOUR METER -UM-1
- W1212 TEMP. CONTROLLER 48*48
- W1213 TEMP. CONTROLLER 48*96
- W1214 TEMP. CONTROLLER 96*96
- W1215 TEMP. CONTROLLER 72*72



PVC CONTROL BOXES WITH 22.5MM DIA HOLES

W1216 PVC CONTROL BOX 1 WAY IDEAL
W1217 PVC CONTROL BOX 2 WAY IDEAL
W1218 PVC CONTROL BOX 3 WAY IDEAL
W1219 PVC CONTROL BOX 4 WAY IDEAL
W1220 PVC CONTROL BOX 5WAY IDEAL
W1221 PVC CONTROL BOX 6 WAY IDEAL
W1222 PVC CONTROL BOX 1 WAY
W1223 PVC CONTROL BOX 2 WAY
W1224 PVC CONTROL BOX 3 WAY
W1225 PVC CONTROL BOX 4 WAY
W1226 PVC CONTROL BOX 5WAY
W1227 PVC CONTROL BOX 6 WAY

CABLE GLAND PVC:FC

W1228 CABLE GLAND PG -7 GREY
W1229 CABLE GLAND PG -9 GREY
W1230 CABLE GLAND PG -11 GREY
W1231 CABLE GLAND PG -13.5 GREY
W1232 CABLE GLAND PG -16 GREY
W1233 CABLE GLAND PG -18 GREY
W1234 CABLE GLAND PG -21 GREY
W1235 CABLE GLAND PG -25 GREY
W1236 CABLE GLAND PG -29 GREY
W1237 CABLE GLAND PG -36 GREY
W1238 CABLE GLAND PG -42 GREY
W1239 CABLE GLAND PG -48 GREY
W1240 CABLE GLAND PG -63 GREY

W1241 CABLE GLAND PG -7 WHITE
W1242 CABLE GLAND PG -9 WHITE
W1243 CABLE GLAND PG -11 WHITE
W1244 CABLE GLAND PG -13.5 WHITE
W1245 CABLE GLAND PG -16 WHITE
W1246 CABLE GLAND PG -18 WHITE
W1247 CABLE GLAND PG -21 WHITE
W1248 CABLE GLAND PG -25 WHITE
W1249 CABLE GLAND PG -29 WHITE
W1250 CABLE GLAND PG -36 WHITE
W1251 CABLE GLAND PG -42 WHITE
W1252 CABLE GLAND PG -48 WHITE
W1253 CABLE GLAND PG -63 WHITE

CABLE GLAND PVC:FC

W1254 CABLE GLAND PG -7 BLACK
W1255 CABLE GLAND PG -9 BLACK
W1256 CABLE GLAND PG -11 BLACK
W1257 CABLE GLAND PG -13.5 BLACK
W1258 CABLE GLAND PG -16 BLACK
W1259 CABLE GLAND PG -18 BLACK
W1260 CABLE GLAND PG -21 BLACK
W1261 CABLE GLAND PG -25 BLACK
W1262 CABLE GLAND PG -29 BLACK
W1263 CABLE GLAND PG -36 BLACK
W1264 CABLE GLAND PG -42 BLACK
W1265 CABLE GLAND PG -48 BLACK
W1266 CABLE GLAND PG -63 BLACK

CABLE GLAND METRIC THREAD.PVC

W1267 CABLE GLAND M12*1.5 WHITE
W1268 CABLE GLAND M16*1.5 WHITE
W1269 CABLE GLAND M20*1.5 WHITE
W1270 CABLE GLAND M25*1.5 WHITE
W1271 CABLE GLAND M32*1.5 WHITE
W1272 CABLE GLAND M40*1.5 WHITE
W1273 CABLE GLAND M50*1.5 WHITE
W1274 CABLE GLAND M63*1.5 WHITE

CABLE GLAND METRIC THREAD PVC(FC)

W1275 CABLE GLAND M12*1.5 GREY
W1276 CABLE GLAND M16*1.5 GREY
W1277 CABLE GLAND M20*1.5 GREY
W1278 CABLE GLAND M25*1.5 GREY
W1279 CABLE GLAND M32*1.5 GREY
W1280 CABLE GLAND M40*1.5 GREY
W1281 CABLE GLAND M50*1.5 GREY
W1282 CABLE GLAND M63*1.5 GREY

CABLE GLAND METRIC THREAD PVC (FC)

W1283 CABLE GLAND M12*1.5 BLACK
W1284 CABLE GLAND M16*1.5 BLACK
W1285 CABLE GLAND M20*1.5 BLACK
W1286 CABLE GLAND M25*1.5 BLACK
W1287 CABLE GLAND M32*1.5 BLACK
W1288 CABLE GLAND M40*1.5 BLACK
W1289 CABLE GLAND M50*1.5 BLACK
W1290 CABLE GLAND M63*1.5 BLACK

INDUSTRIAL PVC PLUG

W1291 16A3 PIN PVC PLUG ID013
W1292 16A4 PIN PVC PLUG ID014
W1293 16A5 PIN PVC PLUG ID015
W1294 32A3 PIN PVC PLUG ID023
W1295 32A4 PIN PVC PLUG ID024
W1296 32A5 PIN PVC PLUG ID025
W1297 63A3 PIN PVC PLUG ID033
W1298 63A4 PIN PVC PLUG ID034
W1299 63A5 PIN PVC PLUG ID035
W1300 125A5 PIN PVC PLUG ID045

INDUSTRIAL PVC SOCKET WITH BOX

W1301 16A3 PIN PVC SOCKET WITH BOX ID113
W1302 16A4 PIN PVC SOCKET WITH BOX ID114
W1303 16A5 PIN PVC SOCKET WITH BOX ID115
W1304 32A3 PIN PVC SOCKET WITH BOX ID123
W1305 32A4 PIN PVC SOCKET WITH BOX ID124
W1306 32A5 PIN PVC SOCKET WITH BOX ID125
W1307 63A3 PIN PVC SOCKET WITH BOX ID133
W1308 63A4 PIN PVC SOCKET WITH BOX ID134
W1309 63A5 PIN PVC SOCKET WITH BOX ID135
W1310 125A5 PIN PVC SOCKET WITH BOX ID345

INDUSTRIAL PVC COUPLER SOCKET

- W1311 16A3 PIN PVC SOCKET COUPLER ID213
- W1312 16A4 PIN PVC SOCKET COUPLER ID214
- W1313 16A5 PIN PVC SOCKET COUPLER ID215
- W1314 32A3 PIN PVC SOCKET COUPLER ID223
- W1315 32A4 PIN PVC SOCKET COUPLER ID224
- W1316 32A5 PIN PVC SOCKET COUPLER ID225
- W1317 63A3 PIN PVC SOCKET COUPLER ID233
- W1318 63A4 PIN PVC SOCKET COUPLER ID234
- W1319 63A5 PIN PVC SOCKET COUPLER ID235
- W1320 125A5 PIN PVC SOCKET COUPLER ID245

16MM DIA LED PUSH BUTTON GOLD PLATED CONTACTS

- W1321 16MM DIA NORMAL PUSH BUTTON SPRING RETURN 1N0+1NC RED
- W1322 16MM DIA NORMAL PUSH BUTTON SPRING RETURN 1N0+1NC AMBER
- W1323 16MM DIA NORMAL PUSH BUTTON SPRING RETURN 1N0+1NC GREEN
- W1324 16MM DIA NORMAL PUSH BUTTON SPRING RETURN 1N0+1NC BLUE
- W1325 16MM DIA NORMAL PUSH BUTTON SPRING RETURN 1N0+1NC WHITE



- W1326 16MM DIA NORMAL PUSH BUTTON PTL/PTR 1N0+1NC RED
- W1327 16MM DIA NORMAL PUSH BUTTON PTL/PTR 1N0+1NC AMBER
- W1328 16MM DIA NORMAL PUSH BUTTON PTL/PTR 1N0+1NC GREEN
- W1329 16MM DIA NORMAL PUSH BUTTON PTL/PTR 1N0+1NC BLUE
- W1330 16MM DIA NORMAL PUSH BUTTON PTL/PTR 1N0+1NC WHITE

- W1331 16MM Ø L.P.B. SPRING RETURN 1N0+1NC RED 220VAC
 - W1332 16MM Ø L.P.B. SPRING RETURN 1N0+1NC AMBER 220VAC
 - W1333 16MM Ø L.P.B. SPRING RETURN 1N0+1NC GREEN 220VAC
 - W1334 16MM Ø L.P.B. SPRING RETURN 1N0+1NC BLUE 220VAC
 - W1335 16MM Ø L.P.B. SPRING RETURN 1N0+1NC WHITE 220VAC
 - W1336 16MM Ø L.P.B. SPRING RETURN 1N0+1NC RED 24VDC
 - W1337 16MM Ø L.P.B. SPRING RETURN 1N0+1NC AMBER 24VDC
 - W1338 16MM Ø L.P.B. SPRING RETURN 1N0+1NC GREEN 24VDC
 - W1339 16MM Ø L.P.B. SPRING RETURN 1N0+1NC BLUE 24VDC
 - W1340 16MM Ø L.P.B. SPRING RETURN 1N0+1NC WHITE 24VDC
- ***P.S (L.P.B = LUMINOUS PUSH BUTTON)



16MM DIA SELECTER SWITCHES GOLD PLATED CONTACTS

- W1341 16MM Ø L.P.B. SPRING RETURN 2N0+2NC RED 220VAC
- W1342 16MM Ø L.P.B. SPRING RETURN 2N0+2NC AMBER 220VAC
- W1343 16MM Ø L.P.B. SPRING RETURN 2N0+2NC GREEN 220VAC
- W1344 16MM Ø L.P.B. SPRING RETURN 2N0+2NC BLUE 220VAC
- W1345 16MM Ø L.P.B. SPRING RETURN 2N0+2NC WHITE 220VAC
- W1346 16MM Ø L.P.B. SPRING RETURN 2N0+2NC RED 24VDC
- W1347 16MM Ø L.P.B. SPRING RETURN 2N0+2NC AMBER 24VDC
- W1348 16MM Ø L.P.B. SPRING RETURN 2N0+2NC GREEN 24VDC
- W1349 16MM Ø L.P.B. SPRING RETURN 2N0+2NC BLUE 24VDC
- W1350 16MM Ø L.P.B. SPRING RETURN 2N0+2NC WHITE 24VDC



16MM DIA SELECTER SWITCHES GOLD PLATED CONTACTS

- W1351 16MM DIA LUMINOUS PUSH BUTTON PTL/PTR 1NO+1NC RED 220VAC
W1352 16MM DIA LUMINOUS PUSH BUTTON PTL/PTR 1NO+1NC AMBER 220VAC
W1353 16MM DIA LUMINOUS PUSH BUTTON PTL/PTR 1NO+1NC GREEN 220VAC
W1354 16MM DIA LUMINOUS PUSH BUTTON PTL/PTR 1NO+1NC BLUE 220VAC
W1355 16MM DIA LUMINOUS PUSH BUTTON PTL/PTR 1NO+1NC WHITE 220VAC
W1356 16MM DIA LUMINOUS PUSH BUTTON PTL/PTR 1NO+1NC RED 24VDC
W1357 16MM DIA LUMINOUS PUSH BUTTON PTL/PTR 1NO+1NC AMBER 24VDC
W1358 16MM DIA LUMINOUS PUSH BUTTON PTL/PTR 1NO+1NC GREEN 24VDC
W1359 16MM DIA LUMINOUS PUSH BUTTON PTL/PTR 1NO+1NC BLUE 24VDC
W1360 16MM DIA LUMINOUS PUSH BUTTON PTL/PTR 2NO+2NC WHITE 24VDC
- W1361 16MM DIA LUMINOUS PUSH BUTTON PTL/PTR 2NO+2NC RED 220VAC
W1362 16MM DIA LUMINOUS PUSH BUTTON PTL/PTR 2NO+2NC AMBER 220VAC
W1363 16MM DIA LUMINOUS PUSH BUTTON PTL/PTR 2NO+2NC GREEN 220VAC
W1364 16MM DIA LUMINOUS PUSH BUTTON PTL/PTR 2NO+2NC BLUE 220VAC
W1365 16MM DIA LUMINOUS PUSH BUTTON PTL/PTR 2NO+2NC WHITE 220VAC
W1366 16MM DIA LUMINOUS PUSH BUTTON PTL/PTR 2NO+2NC RED 24VDC
W1367 16MM DIA LUMINOUS PUSH BUTTON PTL/PTR 2NO+2NC AMBER 24VDC
W1368 16MM DIA LUMINOUS PUSH BUTTON PTL/PTR 2NO+2NC GREEN 24VDC
W1369 16MM DIA LUMINOUS PUSH BUTTON PTL/PTR 2NO+2NC BLUE 24VDC
W1370 16MM DIA LUMINOUS PUSH BUTTON PTL/PTR 2NO+2NC WHITE 24VDC
- W1371 16MM DIA 2 POSITION SELECTER SWITCH MAINTAIN 1NO+1NC
W1372 16MM DIA 2 POSITION SELECTER SWITCH SPRING RETURN 1NO+1NC
W1373 16MM DIA 3 POSITION SELECTER SWITCH MAINTAIN 2NO+2NC
W1374 16MM DIA 2 POSITION KEY SELECTER SWITCH TURN TO LOCK 1NO+1NC
W1375 16MM DIA 3 POSITION KEY SELECTER SWITCH TURN TO LOCK 2NO+2NC
W1376 16MM DIA EMERGENCY TURN TO RELEASE 1NO+1NC



16MM DIA LED INDICATORS

- W1377 16MM DIA LED INDICATOR 220VAC RED
W1378 16MM DIA LED INDICATOR 220VAC AMBER
W1379 16MM DIA LED INDICATOR 220VAC GREEN
- W1380 16MM DIA LED INDICATOR 24VDC RED
W1381 16MM DIA LED INDICATOR 24VDC AMBER
W1382 16MM DIA LED INDICATOR 24VDC GREEN
- W1383 16MM DIA ORDINARY PUSH BUTTON 1NO+1NC RED
W1384 16MM DIA ORDINARY PUSH BUTTON 1NO+1NC GREEN
W1385 16MM DIA ORDINARY PUSH BUTTON 1NO+1NC AMBER
W1386 16MM DIA ORDINARY PUSH BUTTON 1NO+1NC BLUE
W1387 16MM DIA ORDINARY PUSH BUTTON 1NO+1NC WHITE
- W1388 16MM DIA ORDINARY MUSHROOM HEAD PUSH BUTTON 1NO+1NC RED
W1389 16MM DIA ORDINARY MUSHROOM HEAD PUSH BUTTON 1NO+1NC GREEN
W1390 16MM DIA ORDINARY MUSHROOM HEAD PUSH BUTTON 1NO+1NC AMBER
W1391 16MM DIA ORDINARY MUSHROOM HEAD PUSH BUTTON 1NO+1NC BLUE
W1392 16MM DIA ORDINARY MUSHROOM HEAD PUSH BUTTON 1NO+1NC WHITE



16MM DIA LUMINOUS PUSH BUTTON

W1393 16MM DIA ORIDINARY L.P.B. SPRING RETURN 1NO+1NC RED 220VAC
W1394 16MM DIA ORIDINARY L.P.B. SPRING RETURN 1NO+1NC AMBER 220VAC
W1395 16MM DIA ORIDINARY L.P.B. SPRING RETURN 1NO+1NC GREEN 220VAC
W1396 16MM DIA ORIDINARY L.P.B. SPRING RETURN 1NO+1NC BLUE 220VAC
W1397 16MM DIA ORIDINARY L.P.B. SPRING RETURN 1NO+1NC WHITE 220VAC
W1398 16MM DIA ORIDINARY L.P.B. SPRING RETURN 1NO+1NC RED 24VDC
W1399 16MM DIA ORIDINARY L.P.B. SPRING RETURN 1NO+1NC AMBER 24VDC
W1400 16MM DIA ORIDINARY L.P.B. SPRING RETURN 1NO+1NC GREEN 24VDC
W1401 16MM DIA ORIDINARY L.P.B. SPRING RETURN 1NO+1NC BLUE 24VDC
W1402 16MM DIA ORIDINARY L.P.B. SPRING RETURN 1NO+1NC WHITE 24VDC

W1403 16MM DIA ORIDINARY L.P.B. PTL/PTR 1NO+1NC RED 220VAC
W1404 16MM DIA ORIDINARY L.P.B. PTL/PTR 1NO+1NC AMBER 220VAC
W1405 16MM DIA ORIDINARY L.P.B. PTL/PTR 1NO+1NC GREEN 220VAC
W1406 16MM DIA ORIDINARY L.P.B. PTL/PTR 1NO+1NC BLUE 220VAC
W1407 16MM DIA ORIDINARY L.P.B. PTL/PTR 1NO+1NC WHITE 220VAC
W1408 16MM DIA ORIDINARY L.P.B. PTL/PTR 1NO+1NC RED 24VDC
W1409 16MM DIA ORIDINARY L.P.B. PTL/PTR 1NO+1NC AMBER 24VDC
W1410 16MM DIA ORIDINARY L.P.B. PTL/PTR 1NO+1NC GREEN 24VDC
W1411 16MM DIA ORIDINARY L.P.B. PTL/PTR 1NO+1NC BLUE 24VDC
W1412 16MM DIA ORIDINARY L.P.B. PTL/PTR 1NO+1NC WHITE 24VDC

(NOTE: L.P.B : LUMINOUS PUSH BUTTON)

FLOAT SWITCH

W1413 FLOAT SWITCH



16MM DIA ORIDINARY SELECTER SWITCHES

W1414 16MM DIA ORIDINARY 2 POSITION SELECTER SWITCH 1NO+1NC
W1415 16MM DIA ORIDINARY 3 POSITION SELECTER SWITCH 2NO+2NC
W1416 16MM DIA ORIDINARY 2 POSITION KEY SELECTER SWITCH 1NO+1NC
W1417 16MM DIA ORIDINARY 3 POSITION KEY SELECTER SWITCH 2NO+2NC

GENERAL PURPOSE RELAY

W1418 MK-2P 8 PIN RELAY
W1419 MK-3P 11 PIN RELAY
W1420 MY-2.8 PIN RELAY
W1421 MY-3.11 PIN RELAY
W1422 MY-4.14 PIN RELAY
W1423 LY-2.8 PIN RELAY
W1424 LY-3.11 PIN RELAY
W1425 LY-4.14 PIN RELAY

RELAY BASES/SOCKETS.MK/MY/LY/G2R1/G2R2

W1426 MK-2P 8 PIN BASE
W1427 MK-3P 11 PIN BASE
W1428 MY-2.8 PIN BASE
W1429 MY-3.11 PIN BASE
W1430 MY-4.14 PIN BASE
W1431 LY-2.8 PIN BASE
W1432 LY-3.11 PIN BASE
W1433 LY-4.14 PIN BASE

W1434 MK-2P 8 PIN BASE WHITE
W1435 MK-3P 11 PIN BASE WHITE
W1436 MY-2.8 PIN BASE WHITE
W1437 MY-3.11 PIN BASE WHITE
W1438 MY-4.14 PIN BASE WHITE
W1439 LY-2.8 PIN BASE WHITE
W1440 LY-3.11 PIN BASE WHITE
W1441 LY-4.14 PIN BASE CLOSE TYPE

W1442 G2R1 PCB MOUNTED BASE 5 PIN
W1443 G2R2 PCB MOUNTED BASE 8 PIN
W1444 MY-2 PCB MOUNTED BASE 8 PIN
W1445 MY-4 PCB MOUNTED BASE 14 PIN
W1446 LY-2 PCB MOUNTED BASE 8 PIN
W1447 LY-4 PCB MOUNTED BASE 14 PIN

W1448 MPCB ID-32-0.6-1AMPS.IDEAL
W1449 MPCB ID-32-1-1.6AMPS.IDEAL
W1450 MPCB ID-32-1.6-2.5AMPS.IDEAL
W1451 MPCB ID-32-2.5-4AMPS.IDEAL
W1452 MPCB ID-32-4-6.3AMPS.IDEAL
W1453 MPCB ID-32-6-10AMPS.IDEAL
W1454 MPCB ID-32-9-14AMPS.IDEAL
W1455 MPCB ID-32-13-18AMPS.IDEAL
W1456 MPCB ID-32-17-23AMPS.IDEAL
W1457 MPCB ID-32-20-25AMPS.IDEAL
W1458 MPCB ID-32-24-32AMPS.IDEAL
W1459 ADD ON BLOCK FOR MPCB ID-S11-1NO+1NC
W1460 ENCLOSURE PVC FOR MPCB
W1461 END CLAMP PVC FOR DIN RIAL CONNECTORS
W1462 TIMER 8 PIN H3BA

Note:

- * AGS:ADVANCE GENERATION SENSOR
- * PA: PNP , NA: NPN
- * LA:2 WIRE DC NO, LB:2 WIRE DC NC,
- * PB:PNP NC, NB:NPN NC
- * A:AC NO, B:AC NC, D: DC
- * PC:PNP NO+NC, NC:NPN NO+NC
- * PAT: CONNECTOR TYPE PNP, NAT: CONNECTOR TYPE NPN
- * PBT:PNP NC, NBT:NPN NC
- * AT:ACNO CONNECTOR TYPE
- * F:FLUSH TYPE SENSOR LESSER SENSING
- * NF:NON FLUSH SENSOR EXTENDED TYPE MORE SENSING
- * J:BUZZER
- * A2: SLEEVE BEARING, B2: BALL BEARING
- * O:OVAL, R:ROUND

- * F:FRAME, FRONT SQUARE BACK ROUND
- * S:SQUARE, FULL SQUARE BACH & FRONT
- * HENSEL TYPE ENCLOSURE KNOCK OUTS TO DRILLED
WITH HOLE SAW CUTTERS RATHER THAN HAMMER HITTING
- * 22.5 DIA PUSH BUTTONS WILL BE SUPPLIED ALONG WITH ELEMENTS ONLY
- * STANDARED PACKING WILL BE SUPPLIED

TERMS & CONDITIONS:

**THIS PRICE LIST SUPERCEDES OLD PRICE LIST/PRICES/QUOTATIONS &
SUBJECT TO CHANGES WITHOUT PRIOR NOTICE
TAXES.KVAT@13.5% EXTRA OR CST@2% AGAINST `C- FORM'
PAYMENT.100% AGAINST DELIVERY
PRICES ARE EX-SHANTINAGAR.BANGALORE
SUBJECT TO BANGALORE JURISDICTION**