

ABS / POLYCARBONATE & ALUMINIUM

ENCLOSURES / JUNCTION BOXES & CABLE GLANDS

We have Products to Suit Applications in all Industries

Well Contacts Co., (Bangalore)



www.wellcontactSCO.com

Well Contacts Co.,(Bangalore)

Push Buttons, Motor Starters, Display Meters, Electrical and Electronic devices can be integrated into our enclosures with ease.

Our products are backed by excellent nation wide network to ensure that you receive the right goods and impeccable service for each and every order.

ABS / ABS with PolyCarbonate and Aluminum Enclosures / Junction Boxes

Our ABS and ABS / Polycarbonate enclosures are created with the latest in injection moulding technology. They will blend well aesthetically in your installations and offer excellent Returns on Investment. Designed to meet the needs of todays industry, WCC have created a wide range of sizes to suit all needs. We have also launched an excellent range in Aluminium to cater to special requirements of some industries. Push Buttons, Motor Starters, Display Meters and other electronic devices can be integrated into our enclosures with ease.

Plast is committed to deliver quality products that will make your installations safe.

Applications

Our Enclosures are suited for all areas requiring weatherproof enclosures - Indoors & Outdoors
Some area where these enclosures are ideally used are:
Petrochemical Complex, CNC Machines, Instrumentation, Push Button Stations, Relay Modules, Control Panels, Electrical and Electronic Systems., Automation.... the list is endless.

Technical Specifications

Protection Spec - IP 65 acc DIN EN 60529/ DIN 40050
Material - ABS / Polycarbonate (UV Resistance)
Rubber Seal - Foamed Neoprene Seal
Colour - Light Gray (RAL 7035) (Special Colours on request)
Installation Temperature -5° C to +80° C (ABS) and +100° C (Polycarbonate)
Temperature Resistance Max. 100 C° 60695 10-2




ABS & Polycarbonate Enclosure/Junction Box ABS-AS/Polycarbonate - APC

VS-885AS/APC	80x82x55 mm	VS-121765AS/APC	125x170x65 mm
VS-888AS/APC	80x82x85 mm	VS-121785AS/APC	125x170x85 mm
VS-815AS/APC	80x120x55 mm	VS-151575AS/APC	150x150x75 mm
VS-818AS/APC	80x120x85 mm	VS-151510AS/APC	150x150x100 mm
VS-101060AS/APC	100x100x60 mm	VS-1259AS/APC	160x250x90 mm
VS-101080AS/APC	100x100x80 mm	VS-12515AS/APC	160x250x115 mm
VS-117AS/APC	122x125x75 mm	VS-253085AS/APC	250x300x85 mm
VS-121470AS/APC	120x140x70 mm	VS-253011AS/APC	250x300x110 mm
VS-121410AS/APC	120x140x100 mm	VS-253015AS/APC	250x300x150 mm
VS-127AS/APC	120x200x75 mm	VS-253017AS/APC	250x300x170 mm
VS-129AS/APC	120x200x90 mm		

PLAST BRINGS YOU WORLD CLASS ENCLOSURES AND CABLE GLANDS
 All our products come with Ip65 / STQC Certification by ERTL and RTC


Aluminium Enclosures / Junction Boxes

VS-118AL	100x160x80 mm
VS-119AL	160x160x90 mm
VS-221AL	230x200x110 mm
VS-139AL	160x360x90 mm
VS-1229AL	120x220x90 mm
VS-1269AL	160x260x90 mm



Cable Glands

Plast Polyamide Cable glands are available in PG and Matrix variations. Conforming to IP 65 standards, Our Cable Glands will secure your wiring and reduce risks of cable breaks and wear outs. We supply a wide range of sizes to suit all your applications.



Cable Glands - PG

Model	Cable Dia	Hole Dia
PG 7	3-6.5 mm	12.5 mm
PG 9	4-8 mm	15.2 mm
PG 11	5-10 mm	18.6 mm
PG 13.5	6-12 mm	20.4 mm
PG 16	10-14 mm	22.5 mm
PG 19	12-15 mm	24 mm
PG 21	13-18 mm	28.3 mm
PG 25	16-21 mm	30 mm
PG 29	18-25 mm	37 mm
PG 36	22-32 mm	47 mm
PG 42	28-38 mm	54 mm
PG 48	35-45 mm	59.3 mm
PG 63	42-50 mm	72 mm

Cable Glands - Matrix

Model	Cable Dia	Hole Dia
M 12	3-6 mm	12 mm
M 16	5-10 mm	16 mm
M 20	8-13 mm	20 mm
M 25	11-17 mm	25 mm
M 32	15-21 mm	32 mm
M 40	19-28 mm	40 mm
M 50	25-35 mm	50 mm
M 63	35-45 mm	63 mm



IP 65
PRODUCTS



**Enclosures
can be used in
all Industries.**



Well Contacts Co.

**#56, Pushpak Cascade, Swasthi
Road, Shanti Nagar,
Bangalore - 560027, India.
Tel: +91-80-22226675, +91-80-41169654.
e-mail: sales@wellcontactSCO.com
web: www.wellcontactSCO.com**